UNIVERSIDADE FEDERAL DE MINAS GERAIS - UFMG ESCOLA DE ENFERMAGEM PROGRAMA DE PÓS-GRADUAÇÃO EM ENFERMAGEM

HELOÍSA HELENA MONTEIRO BRAGA

PRÁTICAS INTEGRATIVAS E COMPLEMENTARES E EDUCAÇÃO PERMANENTE EM SAÚDE:

Implicação na Atenção Primária à Saúde de Minas Gerais

Dissertação de mestrado

Área de Concentração: Saúde e Enfermagem.

Linha de Pesquisa: Gestão e Educação na Saúde e Enfermagem.

Orientadora: Prof^a. Dra. Maria Flávia Gazzinelli Bethony.

APÊNDICE C

Belo Horizonte

APÊNDICE C - Lista completa dos títulos levantados

Total: 1984 títulos

Primeira expressão de busca:

BVS = 244 títulos:

- 1. 'lt's just a way of approaching things now': staff perspectives of an anticipatory care programme in Edinburgh
- 2. [Complementary or alternative medicine]
- 3. 30a reunión del Comité Regional para Asia Sudoriental: informe del Director Regional
- A model for the incorporation of the traditional healers into the national health care delivery system of South Africa
- 5. A national probability survey of American Medical Association gynecologists and primary care physicians concerning menopause
- 6. A pilot study to compare the views of traditionally trained and CAM-trained therapists using the clinical exemplar of the management of neck/upper limb pain to assess barriers to effective integration of approaches
- 7. A primary health care project in Sarawak
- 8. A primary health care project in the Amazonian jungle of northern Peru
- 9. A study to examine the attitudes, knowledge, and utilization of CAM by primary care professional in West Texas
- 10. A timely opportunity: fostering new roles for complementary and alternative health care providers in meeting the nation \$\%4039\$; s need for primary health care
- 11. A utilização da fitoterapia e de plantas medicinais emunidades básicas de saúde nos municípios de Cascavel e Foz do Iguaçu Paraná: a visão dos profissionais de saúde
- 12. A workshop for trainers of traditional birth attendants in Zaire
- 13. Actividades de la OMS, 1976-1977: informe bienal del Director General a la Asamblea Mundial de la Salud y a las Naciones Unidas
- 14. Activité de I'OMS en 1976 1977: rapport biennal du Directeur général à I'Assemblée mondiale de la Santé et aux Nations Unies
- 15. Acupuncture referrals in rural primary healthcare: a survey of general practitioners in rural and regional New South Wales, Australia
- 16. Alternative medicine and the medical profession: views of medical students and general practitioners
- 17. Alumni perspectives comparing a general internal medicine program and a traditional medicine program
- 18. An analysis of Hong Kong's health policy
- 19. An approach for integrating complementary-alternative medicine into primary care
- 20. Análise sobre a fitoterapia como prática integrativa no Sistema Único de Saúde/ Analysis about phytotherapy as an integrating practice in the Brazilian Unified Health System (UHS)
- 21. Antenatal card for illiterate traditional birth attendants
- 22. Antenatal health care policy, services and clients in urban Papua New Guinea
- 23. Applauding the innovative work of Mâori nurses
- 24. Are doctors keeping up with the game?
- 25. Ask the doctor. What do doctors think of alternative medicine?
- 26. Assessing community health among indigenous populations in Ecuador with a participatory approach: implications for health reform

- 27. Atenção primária- atuação do nível elementar: relatório
- 28. Atención en salud con pertinencia intercultural: Módulo técnico teórico. Dirigido a personal facilitador de salud
- 29. Attitude of conventional and CAM physicians toward CAM in India
- 30. Attitudes of traditional healers towards Western medicine in rural Cameroon
- 31. Attitudes toward integration of complementary and alternative medicine in primary care: perspectives of patients, physicians and complementary practitioners
- Auriculoterapia para profissionais de saúde: percursos possíveis da aprendizagem à implantação na Unidade de Saúde
- 33. Avaliação da satisfação do usuário com os serviços de Atenção Básica do Distrito de Saúde Sul da Secretaria Municipal de Saúde de Campinas/SP, no ano de 2011
- Beurteilung und Verbreitung komplementärmedizinischer Verfahren--eine Befragung von 793 Arzten in Praxis und Klinik
- 35. Brückenschlag zwischen naturwissenschaftlicher Medizin und Komplementärmedizin--eine Utopie?
- 36. Can we rapidly identify traditional, complementary and alternative medicine users in the primary care encounter? A RIOS Net study
- 37. Cervical cancer: the route from signs and symptoms to treatment in South Africa
- 38. Childbearing among the Igbos of Nigeria
- Communication about complementary and alternative medicine: perspectives of primary care clinicians
- 40. Community health workers in Bolivia: adapting to traditional roles in the Andean community
- 41. Comparison of mortality between villages with and without Primary Health Care workers in Upper River Division, The Gambia
- 42. Complementary and alternative medical practices: training, experience, and attitudes of a primary care medical school faculty
- 43. Complementary and alternative medicine: attitudes and patterns of use by German physicians in a national survey
- 44. Complementary and alternative medicine: the move into mainstream health care
- 45. Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic
- 46. Complementary medicine use by the Australian population: a critical mixed studies systematic review of utilisation, perceptions and factors associated with use.
- 47. Complementary medicine: the alternative alternative?
- 48. Corporeidade nos grupos de práticas integrativas corporais e meditativas na rede pública de atenção primária à saúde da região oeste do município de São Paulo
- 49. Crenças populares referentes à saúde: apropriação de saberes sócio-culturais/ Popular beliefs related to health: appropriation of social-cultural knowledge
- 50. Crenças populares referentes à saúde: apropriação de saberes sócio-culturais/ Popular beliefs related to health: appropriation of social-cultural knowledge
- 51. Cross-cultural aspects of pregnancy and breast feeding
- 52. Cross-sectional survey on complementary and alternative medicine awareness among health care professionals and students using CHBQ questionnaire in a Balkan country
- 53. Cultural practices in Nigeria
- 54. Culturally responsive care for Hmong patients. Collaboration is a key treatment component
- 55. Curing and caring: the work of primary care physicians with dementia patients

- 56. Das medicinas tradicionais às práticas integrativas de saúde: caracterização dos recursos humanos nas práticas alternativas de saúde adotadas no Distrito Federal
- 57. Desarrollo de Recursos Humanos para la atención primaria de salud
- 58. Desenvolvimento e utilização de jogo educativo sobre a prevenção de doenças respiratórias no seguimento de crianças menores de cinco anos para a capacitação de agentes comunitários de saúde
- 59. Developing and evaluating complementary therapy services: Part 1. Establishing service provision through the use of evidence and consensus development
- Developing integrative primary healthcare delivery: adding a chiropractor to the team
- 61. Development and implementation of an herbal and natural product elective in undergraduate medical education
- 62. Development of an integrative patient history intake tool: a Delphi study
- 63. Diálogo entre profissionais de saúde e práticas populares de saúde./ Evaluating the training workshops for a group of community health workers
- 64. Difficulties in the integration of psychological and medical practices
- 65. Dificuldades enfrentadas por enfermeiros na aplicabilidade da fitoterapia na atenção básica: uma revisão integrativa
- 66. Dificuldades enfrentadas por enfermeiros na aplicabilidade da fitoterapia na atenção básica: uma revisão integrativa
- 67. District nurses' involvement in pain care: a theoretical model.,
- 68. Effectiveness gaps: a new concept for evaluating health service and research needs applied to complementary and alternative medicine
- 69. Employer perspectives on the patient-centered medical home
- 70. Experience and attitudes of women towards traditional and modern midwifery: household survey
- 71. Family Health Strategy doctors and nurses' perceptions of complementary therapies
- 72. Family planning in Papua New Guinea., "3467242", "Osborn, M", "N Z Nurs J
- 73. Five-year outcomes of western mental health training for Traditional Chinese Medicine practitioners
- 74. Formação especializada em Saúde da Família: aprendizagem e mudança de práticas
- 75. From the classroom to the community: teaching primary health workers
- 76. Fundamentación del modelo de gestión intercultural ecuatoriana en la atención primaria de salud
- 77. Gaps and challenges to integrating diabetes care in Myanmar
- 78. Guidelines for training traditional health practitioners in primary health care
- 79. Guidelines for training traditional health practitioners in primary health care
- 80. Healers in transition
- 81. Healing in primary care: a vision shared by patients, physicians, nurses, and clinical staff
- 82. Health promotion in palliative care: the patients' perception of therapeutic interaction with the palliative nurse in the primary care setting
- 83. Healthcare workforce
- 84. Healthcare workforce. Issue brief
- Healthcare workforce. Issue brief
- 86. Homeopathy and complementary medicine in Tuscany, Italy: integration in the public health system
- 87. Homosexual y adolescente. Una visión holística desde atención primaria de salud

- 88. Homosexual y adolescente. Una visión holística desde Atención Primaria de Salud
- 89. Improving neonatal care: women as health providers
- 90. Informal health providers and the transmission of hepatitis C virus: pilot study in two Egyptian villages
- 91. Integralidade da assistência na compreensão dos profissionais da estratégia saúde da família
- 92. Integralidade da assistência na compreensão dos profissionais da estratégia saúde da família
- 93. Integrating traditional medical practice with primary healthcare system in Eritrea
- 94. Integration of acupuncture into family medicine teaching clinics
- 95. Integration of complementary and alternative medicine in primary care: what do patients want?
- 96. Integration of complementary and alternative medicine information and advice in chronic disease management guidelines
- 97. Integrative medicine: enhancing quality in primary health care
- 98. Interfaces de la medecine traditionnelle avec la medecine conventionnelle et les soins de sante primaires
- 99. International cooperation in support of homeopathy and complementary medicine in developing countries: the Tuscan experience
- 100. Investigation into factors influencing roles, relationships, and referrals in integrative medicine
- 101. Ipelegeng. Let ideas bubble up
- 102. Is there a geography of alternative medical treatment in The Netherlands?
- 103. Knowledge and attitudes of primary health care physicians towards complementary and alternative medicine in the Riyadh region, Saudi Arabia
- 104. Knowledge and home management of malaria fever by mothers and care givers of under five children
- 105. Knowledge and practice of complementary medicine amongst public primary care clinic doctors in Kinta district, Perak
- 106. Knowledge and practice of help-seeking for treatment of mental disorders in Pemba Island, Zanzibar
- 107. Knowledge, attitudes and practice of general practitioners towards complementary and alternative medicine in Doha, Qatar
- 108. La atencion primaria de salud alternativa de promocion comunitaria/ Community Promoted Alternative Primary Health Care
- 109. La médecine traditionnelle a encore sa raison d'
- 110. La prise en charge du paludisme par les therapeutes traditionnels dans les aires de sante de Kendie (Bandiagara) et de Finkolo (Sikasso) au Mali
- 111. Le role des accoucheuses traditionnelles dans la prestation des soins de sante primaires au Rwanda
- 112. Letter: Comments on "The administration of chiropractic in the New York City Medicaid program"
- 113. Los curanderos tradicionales y la salud de la comunidad
- 114. Los curanderos tradicionales y la salud de la comunidad
- 115. Low use of rural maternity services in Uganda: impact of women's status, traditional beliefs and limited resources
- 116. Management of skin infections in Pacific children prior to hospitalisation
- 117. Maternity care in the Sudd, southern Sudan
- 118. Medicina tradicional 500 años después: historia y consecuencias actuales/ Medicina tradicional 500 años después: historia y consecuencias actuales

- 119. Medicina tradicional: as plantas medicinais no contexto de vida e trabalho dos agentes comunitários de saúde do município de Juiz de Fora
- 120. Medicinal plants used by traditional healers in Bozüyük
- 121. Models of collaboration
- 122. Models of health: a survey of practitioners
- 123. Negotiating complementary and alternative medicine use in primary care visits with older patients
- 124. Nepal: integrating traditional and modern health services in the remote area of Bashkharka
- 125. Newborn care and knowledge translation perceptions among primary healthcare staff in northern Vietnam
- 126. Nonconventional medicine in Israel: consultation patterns of the Israeli population and attitudes of primary care physicians
- 127. Nursing perceptions of collaboration with indigenous healers in Swaziland
- 128. O conhecimento dos profissionais de saúde acerca do uso de terapias complementares no contexto da atenção básica
- 129. On the meta-physical aspect of health care: attitudes, values, and other thoughts we use to think
- Opinião de médicos e enfermeiros sobre o uso da fitoterapia e plantas medicinais na Atenção Básica
- 131. Orientation of medical residents to the psychosocial aspects of primary care: influence of training program
- 132. Paradigm shift: stages of physicians' entry into integrative practice
- 133. Pathway to care for psychiatric patients in a developing country: Malawi
- 134. Patient and clinician openness to including a broader range of healing options in primary care
- 135. Patient satisfaction of primary care for musculoskeletal diseases: a comparison between Neural Therapy and conventional medicine
- 136. Patient satisfaction with primary care: an observational study comparing anthroposophic and conventional care
- 137. Patterns of use of nonbiomedical medicine services by nonbiomedical medicine providers
- 138. Percepção de médicos e enfermeiros da estratégia de saúde da família sobre terapias complementares
- 139. Perceptions of philosophic and practice differences between US osteopathic physicians and their allopathic counterparts
- 140. Perspectives in obstetric care for Zimbabwe
- 141. Physical access to primary health care in Andean Bolivia
- 142. Physicians and complementary and alternative medicine cancer therapies in Greece: a survey
- 143. Política de práticas integrativas e complementares: potência de ampliação do cuidado na Atenção Primária
- 144. Postmenopausal hormone replacement: historical perspectives and current concerns
- 145. Práticas de cuidado ao idoso indígena atuação dos profissionais de saúde
- 146. Práticas integrativas e complementares na atenção primária em saúde: em busca da humanização do cuidado/ Integrative and complementary therapies in primary health care: a way to humanize care
- 147. Práticas interativas e complementares grupais nos serviços de saúde da atenção básica: possibilidades de diálogo com a educação popular
- 148. Prayer in medicine: a survey of primary care physicians

- 149. Predictors of complementary therapy use among asthma patients: results of a primary care survey
- 150. Preferences for managing symptoms of differing severity: a discrete choice experiment
- 151. Pregnancy, childbirth, mother and child care among the indigenous people of Zimbabwe
- 152. Prevalence of complementary and alternative medicine and use among children in South Australia
- 153. Primary care physicians and complementary-alternative medicine
- 154. Primary care physicians and complementary-alternative medicine: training, attitudes, and practice patterns
- 155. Primary care physicians' attitudes and practices regarding complementary and alternative medicine
- 156. Primary care services. In search of alternative ways of providing services that are affordable, accessible and appropriate. A review of recent literature
- 157. Primary health care and donor dependency: a case study of nongovernment assistance in Burkina Faso
- 158. Primary health care for developing countries., "6618643", "Ghosh, S", "Indian Pediatr
- 159. Primary health care for whom? Village perspectives from Nepal
- 160. Primary health care in South Africa: private practice nurse practitioners and traditional healers form partnerships
- 161. Primary health care in the People's Republic of China
- 162. Primary health care nurses' promotion of involuntary migrant families' health
- 163. Primary health care: an international perspective
- 164. Primary mental health care in rural Punjab, Pakistan: providers, and user perspectives of the effectiveness of treatments
- 165. Prise en charge de l'épilepsie dans les pays en développement./ [Management of epilepsy in developing countries]
- 166. Promoting lifestyle self-awareness among the medical team by the use of an integrated teaching approach: a primary care experience
- 167. Providing Complementary and Alternative Medicine in primary care: the primary care workers' perspective
- 168. Relato de experêência do curso de plantas medicinais para profissionais de saúde
- 169. Representação social do terapeuta comunitário na rede SUS
- 170. Representação social do terapeuta comunitário na rede SUS
- 171. Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 172. Response to complementary and alternative medicine among family medicine and other primary care physicians in South Carolina
- 173. Review of the village health worker pilot scheme in Tonga
- 174. Role of complementary therapies in the understanding of primary healthcare professionals: a systematic review
- 175. Role of non-physician providers in primary health
- 176. Roles of the general practitioner in different contexts
- 177. Self-medication: an important aspect of primary health care
- 178. Sentidos da integralidade do cuidado na saúde da família
- 179. Sentidos da integralidade do cuidado na saúde da família
- 180. Sistemas medicos que coexisten en la Novena region de Chile: una descripcion general

- 181. Sistematización de experiencias de medicina alternativa y terapias complementarias en el sistema de atención formal de Bogotá, D. C
- 182. Socio-economic factors responsible for poor utilisation of the primary health care services in a rural community in Nigeria
- 183. Sorcery and penicillin: treating illness on a Papua New Guinea island
- 184. Stellenwert von Johanniskraut- extrakt in der hausärztlichen Depressionstherapie. Eine nicht interventionelle Studie
- 185. Tandem practice model: a model for physician-nurse practitioner collaboration in a specialty practice, neurosurgery.,"15924563","Herrmann, Linda L
- 186. TBA training: findings change policy
- 187. Technologies for safe births
- 188. Tensions in the brokerage role. Nurses in Botswana
- 189. The "Bundo" secret society in Sierra Leone
- 190. The attitude of community health nurses towards integration of traditional healers in primary health care in north-west province
- 191. The cultural context of CAM
- 192. The drive for professionalization in acupuncture: a preliminary view from the San Francisco Bay area
- 193. The epidemiology of bioethics.,"10633281","Fetters, M D
- 194. The integration of bio-medicine and culturally based alternative medicine: implications for health care providers and patients
- 195. The integration of complementary therapies in Australian general practice: results of a national survey
- 196. The layperson's perception of medicine as perspective into the utilization of multiple therapy systems in the Indian context
- The national mental health programme in the United Republic of Tanzania. A report from WHO and DANIDA
- 198. The patient relationship and therapeutic techniques of the South Sotho traditional healer
- 199. The role of culture in primary health care. Two case studies
- 200. The roles of federal legislation and evolving health care systems in promoting medical-dental collaboration
- 201. The salutogenesis-oriented session: creating space and time for healing in primary care
- 202. The significance of ritual in a church-based healing model
- 203. The use of non-prescribed medication in the first 3 months of life in rural South Africa
- 204. The work of WHO, 1976-1977: biennial report of the Director-General to the World Health Assembly and to the United Nations
- 205. Third report of Committee A (draft)
- 206. Thirtieth session of the Regional Committee for South-East Asia: report by the Regional Director
- 207. Towards a model for integrative medicine in Swedish primary care
- 208. Trabalho em equipe multiprofissional na Estratégia de Saúde da Família: a interface entre a equipe de Saúde Bucal e a equipe de Saúde da Família
- 209. Traditional belief and practice among the Pokot people of Kenya with particular reference to mother and child health: 1. The Pokot people and their environment
- 210. Traditional birth attendants
- 211. Traditional birth attendants
- 212. Traditional childbirth practices: implications for a rural MCH program

- 213. Traditional healers and community health
- 214. Traditional healers and community health
- 215. Traditional healers as community health workers: a review of projects using traditional healers as community health workers
- 216. Traditional healers \$\pi\$4039; roles on eye care services in Nepal
- 217. Traditional health practitioners as primary health workers
- 218. Traditional health workers
- 219. Traditional medicine in Belize. The original primary health care
- 220. Traditional medicine in Belize. The original primary health care
- 221. Traditional midwifery: a case study
- Traditional midwives in Botswana
- 223. Traditional practitioners as primary health care workers
- 224. Traditional practitioners as primary health care workers: a study of effectiveness of four training projects in Ghana, Mexico and Bangladesh
- 225. Training folk practitioners as PHWs in rural India
- 226. Traveling with the occupational health nurses in China: a perspective today
- 227. Trentième session du Comité Régional de l' Asie du Sud-est: rapport du Directeur régional
- 228. Troisième rapport de la Commission A (projet)
- 229. Turkish general practitioners and complementary/alternative medicine
- 230. Type 2 diabetes, cardiovascular disease and the utilisation of primary care in urban and regional settings
- 231. Unmasking quality: exploring meanings of health by doing art
- 232. UNO STUDIO ETNOGRAFICO DELLE PRATICHE E DEI SAPERI MEDICI NEL CONTESTO NAHUA (NAUPAN, PUEBLA, MESSICO)
- 233. Use of complementary and alternative medicine by physicians in St. Petersburg, Russia
- 234. Use of medicinal plants by health professionals in Mexico.
- 235. Use of self-chosen therapies by depressed people in primary care
- 236. Uso de plantas medicinales en la atención primaria de la salud familiar Aimara, comunidad de Checca, Puno
- Uso de plantas medicinales en la atención primaria de la salud familiar Aimara, comunidad de Checca, Puno
- 238. Usuárias do centro de práticas integrativas e complementares: despertando para o cuidar de si/ Users of integrative and complementary practice center: awakening to his own care, "27756", "Cordeiro, Camila Abrantes", "João Pessoa
- 239. Voprosy okhrany zdorov'ia zhenshchin i detei v razvivaiushchikhsia stranakh
- 240. Women's and health-care providers' views of maternal practices and services in rural Nigeria
- Работа ВОЗ в 1976-1977 годах: двухгодичный отчет Генерального директора Всемирной ассамблее здравоохранения и Организации Объединенных Наций
- 242. Тридцатая сессия Регионального комитета для стран Юго-Восточной Азии: доклад Регионального директора
- مشروع),"183802","جمعية الصحة العالمية, 30","جنيف) " أيوuot، التقرير الثالث للجنة . 243.
- 244. 甲委员会的第三份报告(草案),"185519","世界卫生大会,30","日内瓦

LILACS = 2 títulos:

- 245. A utilização da fitoterapia e de plantas medicinais emunidades básicas de saúde nos municípios de Cascavel e Foz do Iguaçu Paraná: a visão dos profissionais de saúde
- 246. Percepção de médicos e enfermeiros da estratégia de saúde da família sobre terapias complementares

SCIELO= 7 títulos:

- 247. Atenção primária, atenção psicossocial, práticas integrativas e complementares e suas afinidades eletivas
- 248. Atenção primária, atenção psicossocial, práticas integrativas e complementares e suas afinidades eletivas
- 249. Crenças populares referentes à saúde: apropriação de saberes sócio-culturais
- 250. Percepção de médicos e enfermeiros da Estratégia de Saúde da Família sobre terapias complementares
- 251. Percepção de médicos e enfermeiros da Estratégia de Saúde da Família sobre terapias complementares
- 252. Práticas de cuidado ao idoso indígena atuação dos profissionais de saúde
- 253. Role of complementary therapies in the understanding of primary healthcare professionals: a systematic review

MEDLINE (via PUBMED) = 197 títulos:

- 254. A national probability survey of American Medical Association gynecologists and primary care physicians concerning menopause
- 255. A pilot study to compare the views of traditionally trained and CAM-trained therapists using the clinical exemplar of the management of neck/upper limb pain to assess barriers to effective integration of approaches
- 256. A primary health care project in Sarawak
- 257. A primary health care project in the Amazonian jungle of northern Peru
- 258. A study to examine the attitudes, knowledge, and utilization of CAM by primary care professional in West Texas
- 259. A timely opportunity: fostering new roles for complementary and alternative health care providers in meeting the nation's need for primary health care
- 260. A workshop for trainers of traditional birth attendants in Zaire
- 261. Acupuncture referrals in rural primary healthcare: a survey of general practitioners in rural and regional New South Wales, Australia
- 262. Afr Alternat
- 263. Africa: self-medication
- 264. Alternative medicine and general practitioners in The Netherlands: towards acceptance and integration
- 265. Alternative medicine and the medical profession: views of medical students and general practitioners
- 266. Alumni perspectives comparing a general internal medicine program and a traditional medicine program
- 267. An approach for integrating complementary-alternative medicine into primary care

- 268. AN ETHNOGRAPHIC STUDY OF MEDICAL PRACTICES AND KNOWELEDGE IN THE NAHUA CONTEST (NAUPAN, PUEBLA, MEXICO)
- 269. An insight into new basic strategies for lowering mortality
- 270. Antenatal card for illiterate traditional birth attendants
- 271. Antenatal health care policy, services and clients in urban Papua New Guinea
- 272. Applauding the innovative work of Mâori nurses
- 273. Are doctors keeping up with the game?
- 274. Articles and Programme of Action, 7 March 1988. Annu Rev Popul Law
- 275. Assessing community health among indigenous populations in Ecuador with a participatory approach: implications for health reform
- 276. Attitude of conventional and CAM physicians toward CAM in India
- 277. Attitudes toward integration of complementary and alternative medicine in primary care: perspectives of patients, physicians and complementary practitioners
- 278. Bridge between scientific medicine and complementary medicine--utopia?
- 279. Can we rapidly identify traditional, complementary and alternative medicine users in the primary care encounter?
- 280. Childbearing among the Igbos of Nigeria
- 281. Collaboration is a key treatment component
- 282. Comments on "The administration of chiropractic in the New York City Medicaid program"
- Communication about complementary and alternative medicine: perspectives of primary care clinicians
- 284. Community health workers in Bolivia: adapting to traditional roles in the Andean community
- 285. Community medicine in developing countries
- 286. Complementary and alternative medical practices: training, experience, and attitudes of a primary care medical school faculty
- 287. Complementary and alternative medicine: attitudes and patterns of use by German physicians in a national survey
- 288. Complementary and alternative medicine: the move into mainstream health care
- 289. Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic. BMC Complement Altern Med
- 290. Complementary medicine in general practice a national survey of GP attitudes and knowledge
- 291. Complementary medicine use by the Australian population: a critical mixed studies systematic review of utilisation, perceptions and factors associated with use
- 292. Complementary medicine: the alternative alternative?
- 293. Complementary or alternative medicine Harefuah
- 294. Consultations with complementary and alternative medicine practitioners by older Australians: results from a national survey. BMC
- 295. Creatively caring: effects of arts-based encounters on hospice caregivers in South Africa
- 296. Cross-cultural aspects of pregnancy and breast feeding
- 297. Cross-sectional survey on complementary and alternative medicine awareness among health care professionals and students using CHBQ questionnaire in a Balkan country
- 298. Cultural practices in Nigeria. Newsl Inter Afr Comm Tradit Pract Affect Health Women Child
- 299. Culturally responsive care for Hmong patients
- 300. Curing and caring: the work of primary care physicians with dementia patients

- 301. Developing and evaluating complementary therapy services: Part 1. Establishing service provision through the use of evidence and consensus development
- 302. Developing integrative primary healthcare delivery: adding a chiropractor to the team
- 303. Development and implementation of an herbal and natural product elective in undergraduate medical education
- 304. Development of an integrative patient history intake tool: a Delphi study
- 305. Difficulties in the integration of psychological and medical practices
- 306. District nurses' involvement in pain care: a theoretical model
- 307. Effectiveness gaps: a new concept for evaluating health service and research needs applied to complementary and alternative medicine
- 308. Evaluation and utilization of complementary medical procedures--a survey of 793 physicians in general practice and the clinic
- 309. Expectations of patients and parents of children with asthma regarding access to complementary therapy information and services via the NHS: a qualitative study
- 310. Experience and attitudes of women towards traditional and modern midwifery: household survey
- 311. Family Health Strategy doctors and nurses' perceptions of complementary therapies
- 312. Family planning in Papua New Guinea
- Five-year outcomes of western mental health training for Traditional Chinese Medicine practitioners. BMC Psychiatry
- 314. From the classroom to the community: teaching primary health workers
- 315. Gaps and challenges to integrating diabetes care in Myanmar. WHO South East Asia J Public Health
- 316. Healers in transition
- 317. Healing in primary care: a vision shared by patients, physicians, nurses, and clinical staff
- 318. Health care in China
- 319. Health Policy Tracking Service, a service of Thomson Reuters Accelus, Lee A.
- 320. Health promotion in palliative care: the patients' perception of therapeutic interaction with the palliative nurse in the primary care setting
- 321. Health services providers and users' opinions on maternal health services in Bangkok metropolis
- 322. Home remedies: health care at the doorstep
- 323. Homeopathy and complementary medicine in Tuscany, Italy: integration in the public health system. Homeopathy
- 324. Homosexuality and adolescence. A primary health care center holistic view
- 325. How important is personal care in general practice
- 326. Human resources for primary health care in sub-Saharan Africa: progress or stagnation? Hum Resour Health
- 327. IBFAN Africa training initiatives: code implementation and lactation management
- 328. Improving neonatal care: women as health providers
- 329. Indigenous concepts useful in programs. Experiences in the Bolivian highlands
- 330. Integrating traditional medical practice with primary healthcare system in Eritrea
- 331. Integration of complementary and alternative medicine in primary care: what do patients want?
- Integration of complementary and alternative medicine information and advice in chronic disease management guidelines
- 333. INTEGRATION OF COMPLEMENTARY AND ALTERNATIVE MEDICINE WITH PRIMARY HEALTH CARE IN CROATIA OPINIONS OF PRIMARY HEALTH CARE

- 334. Integrative medicine: enhancing quality in primary health care
- 335. International cooperation in support of homeopathy and complementary medicine in developing countries: the Tuscan experience
- 336. Investigation into factors influencing roles, relationships, and referrals in integrative medicine
- 337. Ipelegeng. Let ideas bubble up. Botsw Natl Health Bull.
- 338. Is there a geography of alternative medical treatment in The Netherlands?
- It's just a way of approaching things now': staff perspectives of an anticipatory care programme in Edinburgh
- 340. Knowledge and attitudes of primary health care physicians towards complementary and alternative e medicine in the Riyadh region, Saudi Arabia
- 341. Knowledge and practice of complementary medicine amongst public primary care clinic doctors in Kinta district
- 342. Knowledge of traditional healers on malaria in Kendi (Bandiagara) and Finkolo (Sikasso) in Mali
- 343. Knowledge, attitudes and practice of general practitioners towards complementary and alternative medicine in Doha, Qatar
- 344. Limits of biomedical explanation
- 345. Maori experiences and perceptions of gout and its treatment: a kaupapa Maori qualitative study
- 346. Maternity care in the Sudd, southern Sudan
- 347. Medical systems which coexist in the Novena region of Chile: a general description
- 348. Medicinal plants and primary health care: part 2
- 349. Medicinal plants used by traditional healers in Bozüyük (Bilecik-Turkey)
- 350. Models of collaboration. Prim Care.
- 351. Models of health: a survey of practitioners
- 352. Negotiating complementary and alternative medicine use in primary care visits with older patients
- 353. Nepal: integrating traditional and modern health services in the remote area of Bashkharka
- 354. Newborn care and knowledge translation perceptions among primary healthcare staff in northern Vietnam
- 355. Nonconventional medicine in Israel: consultation patterns of the Israeli population and attitudes of primary care physicians
- Nursing perceptions of collaboration with indigenous healers in Swaziland
- 357. O'Dempsey TJ. Traditional belief and practice among the Pokot people of Kenya with particular reference to mother and child health: 1. The Pokot people and their environment
- 358. On the meta-physical aspect of health care: attitudes, values, and other thoughts we use to think
- Orientation of medical residents to the psychosocial aspects of primary care: influence of training program
- 360. Paradigm shift: stages of physicians' entry into integrative practice
- 361. Pathway to care for psychiatric patients in a developing country: Malawi
- 362. Patient and clinician openness to including a broader range of healing options in primary care
- 363. Patient choice and evidence based decisions: The case of complementary therapies
- 364. Patient satisfaction of primary care for musculoskeletal diseases: a comparison between Neural Therapy and conventional medicine
- 365. Patient satisfaction with primary care: an observational study comparing anthroposophic and conventional care
- 366. Patterns of use of nonbiomedical medicine services by nonbiomedical medicine providers

- 367. Perceptions of philosophic and practice differences between US osteopathic physicians and their allopathic counterparts
- 368. Perspective
- 369. Perspectives in obstetric care for Zimbabwe
- 370. Physical access to primary health care in Andean Bolivia.
- 371. Physicians and complementary and alternative medicine cancer therapies in Greece: a survey
- 372. Postmenopausal hormone replacement: historical perspectives and current concerns
- 373. practice patterns
- 374. Prayer in medicine: a survey of primary care physicians
- 375. Predictors of complementary therapy use among asthma patients: results of a primary care survey
- 376. Preferences for managing symptoms of differing severity: a discrete choice experiment
- 377. Pregnancy, childbirth, mother and child care among the indigenous people of Zimbabwe
- 378. Prevalence of complementary and alternative medicine and use among children in South Australia
- 379. Primary care physicians and complementary-alternative medicine.
- 380. Primary care physicians and complementary-alternative medicine: training, attitudes, and
- 381. Primary care physicians' attitudes and practices regarding complementary and alternative medicine
- 382. Primary care services. In search of alternative ways of providing services that are affordable, accessible and appropriate
- 383. Primary care. Vision of a rural doctor. Enfoques Aten Prim
- 384. Primary health care and donor dependency: a case study of nongovernment assistance in Burkina Faso
- 385. Primary health care for developing countries. Indian Pediatr
- 386. Primary health care for whom? Village perspectives from Nepal
- 387. Primary health care in the People's Republic of China
- 388. Primary health care nurses' promotion of involuntary migrant families' health
- 389. Primary health care: an international perspective
- 390. Primary mental health care in rural Punjab, Pakistan: providers, and user perspectives of the effectiveness of treatments
- 391. Problems of health protection for women and children in the developing countries
- 392. Program for Appropriate Technology in Health PATH. Technologies for safe births
- 393. Promoting collaboration. AIDS Action.
- 394. Promoting lifestyle self-awareness among the medical team by the use of an integrated teaching approach: a primary care experience
- 395. Providing Complementary and Alternative Medicine in primary care: the primary care workers'
- 396. Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 397. Response to complementary and alternative medicine among family medicine and other primary care physicians in South Carolina
- 398. Review of the village health worker pilot scheme in Tonga
- 399. Rheumatologists and their patients who seek alternative care: an agreement to disagree
- 400. Risk factors for deaths in children under 5 years old in Bagamoyo district, Tanzania
- 401. Role of non-physician providers in primary health

- 402. Roles of the general practitioner in different contexts
- 403. Self-medication: an important aspect of primary health care
- 404. So much to do for the children of Africa
- 405. Social representation of the community therapist in the Brazilian Unified Health System
- 406. Sorcery and penicillin: treating illness on a Papua New Guinea island
- Tandem practice model: a model for physician-nurse practitioner collaboration in a specialty practice, neurosurgery
- 408. TBA training: findings change policy
- 409. Tensions in the brokerage role. Nurses in Botswana
- 410. The "Bundo" secret society in Sierra Leone
- The cultural context of CAM
- 412. The effects of religious beliefs on the health care practices of the Amish
- 413. The epidemiology of beliefs and practices. Botsw Natl Health Bull
- 414. The health care system of Kuwait: the social paradoxes
- 415. The integration of bio-medicine and culturally based alternative medicine: implications for health care providers and patients
- 416. The integration of complementary therapies in Australian general practice: results of a national survey
- 417. The interface of traditional medicine with conventional medicine and primary health care
- 418. The layperson's perception of medicine as perspective into the utilization of multiple therapy systems in the Indian context
- 419. The national mental health programme in the United Republic of Tanzania
- 420. The patient relationship and therapeutic techniques of the South Sotho traditional healer
- 421. The role of the community in launching a primary health care system in Rwanda
- 422. The role of traditional midwives in the provision of primary health care in Rwanda
- 423. The roles of federal legislation and evolving health care systems in promoting medical-dental collaboration
- 424. The salutogenesis-oriented session: creating space and time for healing in primary care
- 425. The significance of ritual in a church-based healing model
- 426. Towards a model for integrative medicine in Swedish primary care
- 427. Traditional birth attendants
- 428. Traditional birth attendants in Malawi
- 429. Traditional childbirth practices: implications for a rural MCH program
- 430. Traditional healers' roles on eye care services in Nepal
- 431. Traditional health workers
- 432. Traditional medicine in Belize. The original primary health care
- 433. Traditional midwifery: a case study. Botsw Natl Health Bull
- 434. Traditional midwives in Botswana. Botsw Natl Health Bull
- 435. Training folk practitioners as PHWs in rural India
- 436. Training primary health care workers to foster community participation
- 437. Traveling with the occupational health nurses in China: a perspective today
- 438. Turkish general practitioners and complementary/alternative medicine

- 439. Type 2 diabetes, cardiovascular disease and the utilisation of primary care in urban and regional settings
- 440. Unmasking quality: exploring meanings of health by doing art. BMC Fam Pract
- 441. Use of complementary and alternative medicine by physicians in St.
- 442. Use of complementary and alternative medicine in recurrent vulvovaginal candidiasis--results of a practitioner survey
- 443. Use of medicinal plants by health professionals in Mexico
- 444. Use of self-chosen therapies by depressed people in primary care
- 445. Use of St. John's Wort for depression in primary care a non-interventional study
- 446. Voluntary screening and counselling: public health or community health?
- 447. What do doctors think of alternative medicine?
- 448. WHO's traditional medicine programme: progress and perspectives
- 449. Women's and health-care providers' views of maternal practices and services in rural Nigeria
- 450. Women's health as empowerment: towards a holistic experience

WEB OF SCIENCE = 11 títulos:

- 451. Actual role of phytomedicine in the Caribbean. Presentation of vegetal Caribbean pharmacopea (TRAMIL)
- 452. Assessing community health among indigenous populations in Ecuador with a participatory approach: Implications for health reform
- 453. Complementary medicine use by the Australian population: a critical mixed studies systematic review of utilisation, perceptions and factors associated with use
- 454. Family Health Strategy doctors and nurses' perceptions of complementary therapies
- 455. Integration of complementary and alternative medicine information and advice in chronic disease management guidelines
- 456. Management of patient with Fibromyalgia in Primary Health Care
- 457. Prevalence of complementary and alternative medicine and use among children in South Australia
- 458. Primary Care, Psychosocial Care and Complementary and Alternative Medicine: elective affinities
- 459. Providing complementary and alternative medicine in primary care: the primary care workers' perspective
- 460. Type 2 diabetes, cardiovascular disease and the utilisation of primary care in urban and regional settings
- 461. Use of medicinal plants by health professionals in Mexico

Segunda expressão de busca:

BVS = 351 títulos

- 462. A 6-year comparative economic evaluation of healthcare costs and mortality rates of Dutch patients from conventional and CAM GPs
- 463. A brief patient-reported outcome instrument for primary care: German translation and validation of the Measure Yourself Medical Outcome Profile (MYMOP)
- 464. A Comprehensive Review of Common Respiratory Infections Encountered in Urgent and Primary Care: A Reference Guide for Judicious Antibiotic Use with Complementary Therapies

- 465. A pilot study to compare the views of traditionally trained and CAM-trained therapists using the clinical exemplar of the management of neck
- 466. A primary care approach to functional abdominal pain
- 467. A qualitative study of primary health care access, barriers and satisfaction among people with mental illness
- 468. A study to examine the attitudes, knowledge, and utilization of CAM by primary care professional in West Texas
- 469. A timely opportunity: fostering new roles for complementary and alternative health care providers in meeting the nation's need for primary health care
- 470. Access to complementary health care: why the NHS is the key
- 471. Access to complementary medicine via general practice
- 472. Addressing use of herbal medicine in the primary care setting
- 473. Allergic Dermatoses
- 474. Alternativ helbredelse. Sygdomsspejl for det etablerede
- 475. Alternative medicine
- 476. Alternative medicine and the medical profession: views of medical students and general practitioners
- 477. An analysis of sickness absence in chronically ill patients receiving complementary and alternative medicine: a longterm prospective intermittent study
- 478. An approach for integrating complementary-alternative medicine into primary care
- 479. An approach to teaching primary care physicians how to integrate complementary medicine into their daily practices: a pilot study
- 480. An approach to the nutritional management of autism
- 481. Análise sobre a fitoterapia como prática integrativa no Sistema Único de Saúde
- 482. Análisis de las alternativas terapéuticas del trastorno de pánico en atención primaria mediante un árbol de decisión
- 483. Anthroposophic medical therapy in chronic disease: a four-year prospective cohort study
- 484. Anthroposophic perspectives in primary care
- 485. Anxiety Disorders in Primary Care
- 486. Anxiety disorders in primary care
- 487. Aplicações da acupuntura e auriculoterapia no cenario odontologico e na atenção primaria em saude
- 488. Applying integrative healthcare
- 489. Are doctors keeping up with the game?
- 490. Are people who use "natural drugs" aware of their potentially harmful side effects and reporting to family physician?
- 491. Ask the doctor. What do doctors think of alternative medicine?
- 492. Association of health literacy with complementary and alternative medicine use: a crosssectional study in adult primary care patients
- 493. Atenção primária, atenção psicossocial, práticas integrativas e complementares e suas afinidades eletivas
- 494. Attitude of conventional and CAM physicians toward CAM in India
- 495. Attitudes of Arab and Jewish patients toward integration of complementary medicine in primary care clinics in Israel: a cross-cultural study
- Attitudes of Arab-Muslims toward integration of complementary medicine in primary-care clinics in Israel: the Bedouin mystery

- 497. Attitudes of Asian patients in Birmingham to general practitioner services
- 498. Attitudes toward integration of complementary and alternative medicine in primary care: perspectives of patients, physicians and complementary practitioners
- 499. Auriculoterapia y ejercicio en el manejo de la obesidad. Parroquia Santa Rosalía. República de Venezuela. 2008-2009/ Auriculotherapy and exercise in the management of obesity
- 500. Az alternatív medicina, az egészségi állapot és az egészségügyi ellátás összefüggései Magyarországon
- 501. Behavioral medicine, complementary medicine and integrated care. Economic implications
- 502. Beurteilung und Verbreitung komplementärmedizinischer Verfahren--eine Befragung von 793 Arzten in Praxis und Klinik
- 503. Beyond the boundaries: relationship between general practice and complementary medicine
- 504. Bound together for health. An introduction to chelation therapy
- 505. Brückenschlag zwischen naturwissenschaftlicher Medizin und Komplementärmedizin--eine Utopie?
- 506. CAM therapies among primary care patients using opioid therapy for chronic pain
- 507. Can we rapidly identify traditional, complementary and alternative medicine users in the primary care encounter? A RIOS Net study.,"20178185", "Sussman, Andrew L
- 508. Care of the patient with chronic pain: part II
- 509. Chiropractic treatment. An "alternative medicine" becomes mainstream health
- 510. Chiropractic users and nonusers: differences in use, attitudes, and willingness to use nonmedical doctors for primary care
- 511. Chiropractic users and nonusers: differences in use, attitudes, and willingness to use nonmedical doctors for primary care
- 512. Choice of primary health care source in an urbanized low-income community in Singapore: a mixed-methods study
- 513. Chronic pain and its management in primary care
- 514. Chronic pain in primary care
- 515. Clinical and cost outcomes of an integrative medicine IPA
- 516. Clinical practice of integrative medicine in the United States and its development in primary care
- 517. Comment on "Preventive screening of women who use complementary and alternative medicine providers"
- 518. Communication about complementary and alternative medicine: perspectives of primary care clinicians
- 519. Community-based AIDS research
- 520. Comparative prevalence of complementary and alternative medicine use among outpatients in dermatology and primary care clinics
- 521. Comparison of Patient Health History Questionnaires Used in General Internal and Family Medicine, Integrative Medicine, and Complementary and Alternative Medicine Clinics
- 522. Complementary alternative medicine use among patients with type 2 diabetes mellitus in the primary care setting: a cross-sectional study in Malaysia
- 523. Complementary and alternative medical practices: training, experience, and attitudes of a primary care medical school faculty
- 524. Complementary and alternative medicine in a military primary care clinic: a 5-year cohort study
- 525. Complementary and alternative medicine in US family medicine practices: a pilot qualitative study
- 526. Complementary and alternative medicine use among primary care patients in west Texas
- 527. Complementary and alternative medicine use by primary care patients with chronic pain

- 528. Complementary and alternative medicine use in patients with chronic diseases in primary care is associated with perceived quality of care and cultural beliefs
- 529. Complementary and alternative medicine: attitudes and patterns of use by German physicians in a national survey
- 530. Complementary and alternative medicine: the move into mainstream health care
- 531. Complementary and alternative therapies for low back pain
- 532. Complementary and Alternative Treatment for Allergic Conditions
- 533. Complementary and conventional medicine in Switzerland: comparing characteristics of general practitioners
- 534. Complementary care. Partnership pairs primary care with alternative therapies
- 535. Complementary healthcare practices and the implications for nurse practitioners
- 536. Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic
- 537. Complementary medicine
- 538. Complementary medicine
- 539. Complementary medicine and HIV infection
- 540. Complementary medicine for alcohol dependence in Italian services: a mail questionnaire
- 541. Complementary medicine in primary care: time to decide. Royal Society of Medicine, London 27th March 2002
- 542. Complementary medicine in the primary care setting: Results of a survey of gender and cultural patterns in Israel
- 543. Complementary medicine practices
- 544. Complementary medicine use by the Australian population: a critical mixed studies systematic review of utilisation, perceptions and factors associated with use
- 545. Complementary medicine: the alternative alternative?
- 546. Complementary or alternative medicine
- 547. Complementary practitioners as part of the primary health care team: consulting patterns, patient characteristics and patient outcomes
- 548. Complementary practitioners as part of the primary health care team: evaluation of one model
- 549. Complementary therapies for HIV
- 550. Compreendendo o impacto das diretrizes propostas pela Política Nacional dePráticas Integrativas e Complementares em serviços de homeopatia do SistemaÚnico de Saúde
- 551. Consumer evaluation of natural therapists and general practitioners
- 552. Contribuições da campanha "Democracia na Saúde Já" para a institucionalização da PNIPIC
- 553. Contribuições para a construção da Nutrição Complementar Integrada/ Contributions to the construction of Integrative and Complementary Nutrition
- 554. Corporeidade nos grupos de práticas integrativas corporais e meditativas na rede pública de atenção primária à saúde da região oeste do município de São Paulo
- 555. Correlates of complementary and alternative medicine utilization in depressed, underserved african american and Hispanic patients in primary care settings
- 556. Cross-sectional survey on complementary and alternative medicine awareness among health care professionals and students using CHBQ questionnaire in a Balkan country
- 557. Das medicinas tradicionais às práticas integrativas de saúde: caracterização dos recursos humanos nas práticas alternativas de saúde adotadas no Distrito Federal
- Dedo en resorte por nódulo del tendón flexor: tratamiento mediante electromagnetoterapia en atención primaria

- 559. Dedo en resorte por nódulo del tendón flexor: tratamiento mediante electromagnetoterapia en atención primaria
- 560. Desenvolvimento e utilização de jogo educativo sobre a prevenção de doenças respiratórias no seguimento de crianças menores de cinco anos para a capacitação de agentes comunitários de saúde
- 561. Determinants of complementary alternative medicine (CAM) use
- 562. Determinants of use of care provided by complementary and alternative health care practitioners to pregnant women in primary midwifery care: a prospective cohort study
- 563. Developing an integrative therapies in primary care program
- 564. Developing and evaluating complementary therapy services: Part 1. Establishing service provision through the use of evidence and consensus development
- 565. Developing integrated CAM services in Primary Care Organisations
- 566. Development and implementation of an herbal and natural product elective in undergraduate medical education
- 567. Development of an integrative patient history intake tool: a Delphi study
- 568. Diagnosis and management of depression in primary care: a clinical update and review
- 569. Diet and nutrition in primary care. From antioxidants to zinc
- 570. Differences in the quality of interpersonal care in complementary and conventional medicine
- 571. DIRAE study: seasonal allergic rhinitis distribution in Spain
- 572. Diseño y metodología para el estudio de la utilización de servicios médicos y alternativos en un área de salud
- 573. Diseño y metodología para el estudio de la utilización de servicios médicos y alternativos en un área de salud
- 574. Disentangling integrative medicine
- 575. Distribution of complementary and alternative medicine (CAM) providers in rural New South Wales, Australia: a step towards explaining high CAM use in rural health?
- 576. Do 'alternative' help-seeking strategies affect primary care service use? A survey of help-seeking for mental distress
- 577. Ear infections: otitis externa and otitis media
- 578. Educação permanente em acupuntura: análise de um processo educativo e suas repercussões na prática de médicos da atenção primária à saúde
- 579. Educational intervention to improve physician reporting of adverse drug reactions (ADRs) in a primary care setting in complementary and alternative medicine
- 580. Efectividad de la ipecacuanha en la hiperemesis gravídica: policlínico "28 de septiembre", 1999 2001
- 581. Efecto placebo frente a efecto terapéutico en la práctica clínica y medicinas complementarias y alternativas
- 582. Effectiveness gaps: a new concept for evaluating health service and research needs applied to complementary and alternative medicine
- 583. Eficacia del tratamiento acupuntural en pacientes con urgencias hipertensivas en la atención primaria de salud
- 584. Eficacia del tratamiento acupuntural en pacientes con urgencias hipertensivas en la atención primaria de salud
- 585. El placebo en la práctica y en la investigación clínica
- 586. Energía piramidal terapéutica, en asistencia primaria
- 587. Establishing a research agenda for investigating alternative medical interventions for chronic pain.,"9386254","Berman, B M

- 588. Estratégicas de consumo em saúde entre famílias trabalhadoras
- 589. Ethnicity and physician-older patient communication about alternative therapies
- 590. Evaluating complementary and alternative therapy services in primary and community care settings: a review of 25 service evaluations
- 591. Exploring different dimensions of holism: considerations in the context of an evaluation of complementary medicine in primary care
- 592. Extent and structure of health insurance expenditures for complementary and alternative medicine in Swiss primary care
- 593. Factors associated with changing levels of interest in primary care during medical school
- 594. Factors associated with first utilization of different types of care for alcohol problems
- 595. Factors associated with herbal use among urban multiethnic primary care patients: a crosssectional survey
- 596. Factors influencing the use of complementary and alternative medicine and whether patients inform their primary care physician.,"22305248","Thomson, Patricia
- 597. Family Health Strategy doctors and nurses' perceptions of complementary therapies
- 598. Fisioterapia en mastectomizadas con alteraciones físicas y funcionales en el hombro ipsolateral
- 599. Fitoterapia na atenção básica: estudo com profissionais enfermeiros
- 600. Fitoterapia na atenção básica: estudo com profissionais enfermeiros
- 601. Focus on primary care female population with migraine
- 602. Folk and traditional medicine use by a subset of Hispanic adolescents
- 603. Folk medicine and health culture in contemporary society
- 604. For the patient. Patients using alternative medicine solutions should discuss it with their doctors
- 605. From pharmaceuticals to alternative treatments for HIV/AIDS: what is the potential?
- 606. General practitioners, complementary therapies and evidence-based medicine: the defence of clinical autonomy
- 607. Gesundheit--Krankheit: Theorie und Praxis in der "Integrativen Medizin"
- 608. Government policies for traditional, complementary and alternative medical services in India: from assimilation to integration?
- 609. Guest family physician commentaries
- 610. Headache in primary care
- 611. Healing, medical care, and health service organizations
- 612. Health economic evaluation in complementary medicine: development within the last decades concerning local origin and quality
- 613. Health plans, providers struggle with quality in alternative medicine
- 614. Health service utilization patterns of primary care patients with osteoarthritis
- 615. Health services research
- 616. Health status and health care utilisation of patients in complementary and conventional primary care in Switzerland--an observational study
- 617. Healthcare workforce
- 618. Healthcare workforce
- 619. Healthcare workforce
- 620. Heart failure: clinical problem and management issues
- 621. Herbal therapy use in a pediatric emergency department population: expect the unexpected
- 622. Herbalists of Today's Switzerland and Their Plant Knowledge. A Preliminary Analysis from an Ethnobotanical Perspective

- 623. Higher internality of health locus of control is associated with the use of complementary and alternative medicine providers among patients seeking care for acute low-back pain
- 624. Homeopathy and complementary medicine in Tuscany, Italy: integration in the public health system
- 625. Homeopathy and the new fundamentalism: a critique of the critic
- 626. Homeopatia na Estratégia Saúde da Família: apoio matricial e visão sistêmica cartografando a integralidade do cuidado
- 627. Hypnotic trance. The old and the new
- 628. Hypoglycemic effect of sitting breathing meditation exercise on type 2 diabetes at Wat Khae Nok Primary Health Center in Nonthaburi province
- 629. Identifying and treating postpartum depression
- 630. Implantação da craniopuntura de Yamamoto na SMS-SP/ Yamamoto craniopuncture implantation in SMS-SP
- 631. Increasing resident recruitment into family medicine: effect of a unique curriculum in integrative medicine
- 632. Informed choices. Your most valuable role in menopause care is education.
- 633. Integrated medicine. Cost of consultations is key issue
- 634. Integrating CAM and biomedicine in primary care settings: physicians' perspectives on boundaries and boundary work
- 635. Integrating complementary and alternative medicine into conventional primary care: the patient perspective
- 636. Integration of complementary and alternative medicine in primary care: what do patients want?
- 637. Integration of complementary and alternative medicine information and advice in chronic disease management guidelines
- 638. Integrative medicine and health disparities: a scoping meeting
- 639. Integrative medicine and systemic outcomes research: issues in the emergence of a new model for primary health care
- 640. Integrative medicine models in contemporary primary health care
- 641. Integrative medicine: enhancing quality in primary health care
- 642. Integrative medicine: not a carte blanche for untested nonsense
- 643. Integrative primary care and the internet: opportunities and challenges
- 644. Integrative therapies in primary care practice
- 645. International cooperation in support of homeopathy and complementary medicine in developing countries: the Tuscan experience
- 646. Introdução à medicina homeopática
- 647. Introdução à medicina homeopática
- 648. Introducción a la acupuntura. Fundamentos e interés para el médico de Atención Primaria
- 649. Introducing traditional Chinese nursing: a review of concepts, theories and practices
- 650. Introduction: novel therapies in developmental disabilities--hope, reason, and evidence
- 651. Investigating complementary and alternative medicine use in a Spanish-speaking Hispanic community in South Carolina
- 652. Investigation into factors influencing roles, relationships, and referrals in integrative medicine
- 653. Is Life a Statin Deficiency State? Observations on Integrative Medicine, Whole-Person Healing, and Our Nation's Pivotal Moment in Healthcare
- 654. Is there a geography of alternative medical treatment in The Netherlands?
- 655. Kicking butt. A review of smoking cessation strategies

- 656. Kidney injury from alternative medicines
- 657. Knowledge and attitudes of primary health care physicians towards complementary and alternative medicine in the Riyadh region, Saudi Arabia
- 658. Knowledge and practice of complementary medicine amongst public primary care clinic doctors in Kinta district, Perak
- 659. Knowledge, attitudes and practice of general practitioners towards complementary and alternative medicine in Doha, Qatar
- 660. Komplementarmedizin in Schweizer praxen der grundversorgung
- 661. La atencion primaria de salud alternativa de promocion comunitaria
- 662. Less equal than others? Experiences of AYUSH medical officers in primary health centres in Andhra Pradesh
- 663. Letter: Comments on "The administration of chiropractic in the New York City Medicaid program"
- 664. Looks can be deceiving. The behind-the-scenes battle of fibromyalgia
- 665. Los procesos de salud-enfermedad-atención desde la perspectiva de los usuarios de una policlínica del primer nivel de atención en Montevideo, Uruguay: Análisis de trayectos terapéuticos
- 666. Management of Alzheimer's disease
- 667. Médecines alternatives, croyances et prise en charge des personnes vivant avec le VIH au Gabon
- 668. Medical homes for children with autism: a physician survey
- 669. Medicina Tradicional e Complementar no Brasil: inserção no Sistema Único de Saúde e integração com a atenção primária
- 670. Medida de la gravedad del síndrome de intestino irritable. ¿Para qué y cómo?
- 671. Mental health visits to complementary and alternative medicine providers
- 672. Microsistema dental y su relación con el diagnóstico tradicional en pacientes con afecciones gastrointestinales: en A P S
- 673. Mind-body innovations--an integrative care approach
- 674. Mind-body therapies for primary care physicians
- 675. Models of health: a survey of practitioners
- 676. National Policy on Integrative and Complementary Practices in the Brazilian Health System: steps towards the expansion of homeopathy
- 677. Naturopathic physicians: holistic primary care and integrative medicine specialists
- 678. Navigating the health care system: perceptions of patients with chronic pain
- 679. Negotiating complementary and alternative medicine use in primary care visits with older patients
- 680. Nonconventional medicine in Israel: consultation patterns of the Israeli population and attitudes of primary care physicians
- 681. Nonmedical methods to relieve low back pain caused by lumbar disc herniation: a descriptive study in northeastern Turkey
- 682. O conhecimento dos profissionais de saúde acerca do uso de terapias complementares no contexto da atenção básica
- 683. O uso de práticas complementares por uma equipe de Sáude da Família e sua população
- 684. Opinião de médicos e enfermeiros sobre o uso da fitoterapia e plantas medicinais na Atenção Básica
- 685. Osher Centers named at Northwestern and Vanderbilt
- 686. Otitis media: current treatment issues & amp; trends

- 687. Paradigm shift: stages of physicians' entry into integrative practice
- 688. Patient and clinician openness to including a broader range of healing options in primary care
- 689. Patient satisfaction of primary care for musculoskeletal diseases: a comparison between Neural Therapy and conventional medicine
- 690. Patient-based evaluations of primary care for cardiovascular diseases: a comparison between conventional and complementary medicine., "18211648", "Matter-Walstra, Klazien
- 691. Patients' views of receiving lessons in the Alexander technique and an exercise prescription for managing back pain in the ATEAM trial
- 692. Patterns of use of nonbiomedical medicine services by nonbiomedical medicine providers
- 693. Percepção de médicos e enfermeiros da estratégia de saúde da família sobre terapias complementares
- 694. Physicians and complementary and alternative medicine cancer therapies in Greece: a survey
- 695. Placer, transformación y tratamiento: uso de las medicinas alternativas para problemas emocionales en la Ciudad de México
- 696. Política Nacional de Práticas Integrativas e Complementares como contribuição ao direito de escolha no campo da saúde
- 697. Postmenopausal hormone replacement: historical perspectives and current concerns
- 698. Práticas integrativas e complementares e relação com promoção da saúde: experiência de um serviço municipal de saúde
- 699. Práticas integrativas e complementares na atenção primária em saúde: em busca da humanização do cuidado
- 700. Práticas integrativas e complementares: oferta e produção de atendimentos no SUS e em municípios selecionados
- 701. Práticas integrativas e complementares: oferta e produção de atendimentos no SUS e em municípios selecionados
- 702. Práticas integrativas e complementares: plantas medicinais e fitoterapia na atenção básica
- 703. Práticas interativas e complementares grupais nos serviços de saúde da atenção básica: possibilidades de diálogo com a educação popular
- 704. Práticas populares em saúde: autocuidado com feridas de usuários de plantas medicinais
- 705. Práticas populares em saúde: autocuidado com feridas de usuários de plantas medicinais
- 706. Predictors of complementary therapy use among asthma patients: results of a primary care survey
- 707. Preferences for managing symptoms of differing severity: a discrete choice experiment
- 708. Premenstrual syndrome and premenstrual dysphoric disorder
- Prescribing patterns in dementia: a multicentre observational study in a German network of CAM physicians
- 710. Prevalence and determinants of use of complementary and alternative medicine by hypertensive patients attending primary health care facilities in Kinshasa, Democratic Republic of the Congo: a cross-sectional study
- 711. Prevalence and pattern of alternative medicine use: the results of a household survey
- 712. Prevalence of alternative medicine use for skin conditions in a primary care population
- Prevalence of complementary and alternative medicine and use among children in South Australia
- 714. Prevalence study of concurrent use of complementary and alternative medicine in patients attending primary care services in Scotland
- 715. Preventive screening of women who use complementary and alternative medicine providers
- 716. Primary care as intersecting social worlds

- 717. Primary care for women: the role of the obstetrician-gynecologist
- 718. Primary care from infancy to adolescence
- 719. Primary care physicians and complementary-alternative medicine
- 720. Primary care physicians and complementary-alternative medicine: training, attitudes, and practice patterns
- Primary care physicians' attitudes and practices regarding complementary and alternative medicine
- 722. Primary health care transformed: complementary and orthodox medicine complementing each other
- 723. Primary mental health care in rural Punjab, Pakistan: providers, and user perspectives of the effectiveness of treatments
- 724. Prolotherapy in primary care practice
- 725. Promoting CAM services
- 726. Providing Complementary and Alternative Medicine in primary care: the primary care workers' perspective
- 727. Psychiatric disorders in primary care patients receiving complementary medical treatments
- 728. Quackery
- 729. Race, Pain, and Beliefs Associated with Interest in Complementary and Alternative Medicine among Inner City Veterans
- 730. Referral patterns and attitudes of primary care physicians towards chiropractors
- 731. Remedies containing Asteraceae extracts: a prospective observational study of prescribing patterns and adverse drug reactions in German primary care.,
- 732. Representação social do terapeuta comunitário na rede SUS
- 733. Representação social do terapeuta comunitário na rede SUS
- 734. Respiratory Allergic Disorders
- 735. Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 736. Response to complementary and alternative medicine among family medicine and other primary care physicians in South Carolina
- 737. Rethinking chronic pain in a primary care setting
- 738. Role of non-physician providers in primary health
- 739. Roundtable I: Practice patterns for treating rheumatoid arthritis
- 740. Satisfaction with primary health care in patients with upper respiratory tract infection: a three-level approach
- 741. Satisfaction with primary health care received by families of children with developmental disabilities
- 742. Síndrome serotoninérgico por interacción entre linezolid y 5-hidroxitriptófano
- 743. Sistematización de experiencias de medicina alternativa y terapias complementarias en el sistema de atención formal de Bogotá, D. C
- 744. Spirituality in medicine
- 745. Strategic choices for a primary care advantage: re-engineering osteopathic medicine for the 21st century
- 746. Survey results of pain treatments in adults with cerebral palsy
- 747. Surviving breast cancer: the role of complementary therapies
- 748. Talking about the pain: a patient-centered study of low back pain in primary care
- 749. Talking with patients about their use of alternative therapies

- 750. Terapia Comunitária se torna ferramenta essencial para o tratamento de pequenos conflitos
- 751. The association of race/ethnicity with the receipt of traditional and alternative arthritis-specific health care
- 752. The challenges of establishing an integrative medicine primary care clinic in Sydney, Australia
- 753. The challenges of facilitating primary healthcare discussions on traditional, complementary and alternative medicine for childhood eczema: piloting a computerized template
- 754. The characteristics of complementary and alternative medicine use by parents of asthmatic children in Southern Israel
- 755. The complementary side of complementary and alternative medicine
- 756. The cultural context of CAM.
- 757. The drive for professionalization in acupuncture: a preliminary view from the San Francisco Bay area
- 758. The epidemiology of bioethics
- 759. The impact of changes in medical care on medical education
- 760. The impact of NHS based primary care complementary therapy services on health outcomes and NHS costs: a review of service audits and evaluations
- 761. The integration of bio-medicine and culturally based alternative medicine: implications for health care providers and patients
- 762. The integration of complementary therapies in Australian general practice: results of a national survey
- 763. The integrative medicine team--is biomedical dominance inevitable?
- 764. The marriage of community-based participatory research and practice-based research networks: can it work? -A Research Involving Outpatient Settings Network (RIOS Net) study
- 765. The most addictive drug, the most deadly substance: smoking cessation tactics for the busy clinician
- 766. The pathway followed by psychotic patients to a tertiary health center in a developing country: a comparison with patients with epilepsy
- 767. The prevalence, patterns of usage and people's attitude towards complementary and alternative medicine (CAM) among the Indian community in Chatsworth
- 768. The pros and cons of immunisation
- 769. The relationship between a statewide preceptorship program and family medicine residency selection
- 770. The relationship between research and service development: an illustrative example of a pilot study introducing complementary therapies into primary care
- 771. The spectrum of therapeutic influences and integrative health care: classifying health care practices by mode of therapeutic action
- 772. The use of and out-of-pocket spending on complementary and alternative medicine in Qassim province, Saudi Arabia
- 773. The use of CAM and conventional treatments among primary care consulters with chronic musculoskeletal pain
- 774. The use of complementary and alternative medicine by asthma patients
- 775. The use of complementary and alternative medicine by primary care patients. A SURF*NET study
- 776. The voluntary community health movement in India: a strengths, weaknesses, opportunities, and threats (SWOT) analysis
- 777. Toward optimal health: reframing medical care to reflect a global perspective.
- 778. Toward optimal health: the experts respond to Parkinson's disease. Interview by Jodi Godfrey Meisler

- 779. Treating vasomotor symptoms of menopause: the nurse practitioner \$\pi039;s perspective
- 780. Trends in access to complementary or alternative medicines via primary care in England: 1995-2001 results from a follow-up national survey
- 781. Turkish general practitioners and complementary
- 782. UK's first 'wellness centre' takes preventive action
- 783. Um método para a implantação e promoção de acesso às Práticas Integrativas e Complementares na Atenção Primária à Saúde
- 784. Um método para a implantação e promoção de acesso às Práticas Integrativas e Complementares na Atenção Primária à Saúde
- 785. Unmasking quality: exploring meanings of health by doing art
- Upotreba komplementarne i alternativne medicine kod pacijenata u primarnoj zdravstvenoj zastiti
- 787. US veterans use vitamins and supplements as substitutes for prescription medication
- 788. Use of alternative and hormonal therapies in male infertility
- 789. Use of alternative therapies among Mexican Americans in the Texas Rio Grande Valley
- 790. Use of and interest in alternative therapies among adult primary care clinicians and adult members in a large health maintenance organization
- 791. Use of and interests in complementary and alternative medicine by Hispanic patients of a community health center
- 792. Use of complementary alternative medicine for low back pain consulting in general practice: a cohort study
- 793. Use of complementary and alternative medicine among primary care patients
- 794. Use of complementary and alternative medicine by physicians in St. Petersburg, Russia
- 795. Use of complementary and alternative medicine for children: a parents' perspective
- 796. Use of complementary and alternative medicine in a large sample of anxiety patients
- 797. Use of complementary medicine amongst asthmatic patients in primary care
- 798. Use of complementary medicine amongst diabetic patients in a public primary care clinic in Ipoh
- 799. Use of complementary medicine amongst hypertensive patients in a public primary care clinic in lpoh
- 800. Use of complementary therapies among primary care clinic patients with arthritis
- 801. Use of conventional and nonconventional treatments for osteoarthritis in the family medicine setting
- 802. Use of conventional, complementary, and alternative treatments for pain among individuals seeking primary care treatment with buprenorphine-naloxone
- 803. Use of herbal therapies by older, community-dwelling women
- 804. Use of self-chosen therapies by depressed people in primary care
- 805. Use of Traditional and Complementary Medicine as Self-Care Strategies in Community Health Centers: Cross-Sectional Study in Urban Pearl River Delta Region of China
- 806. Use of unconventional therapies by primary care patients--religious resources vs. complementary or alternative medicine services
- Uso de medicinas complementarias y alternativas en pacientes con trastorno afectivo bipolar en Colombia
- 808. Uso, cuidado e política das práticas integrativas e complementares na Atenção Primária à Saúde
- 809. Usuárias do centro de práticas integrativas e complementares: despertando para o cuidar de si
- 810. Western medical acupuncture: a definition

- 811. Where do we go from here?
- 812. Which CAM modalities are worth considering?

LILACS = 2 títulos

- 813. Das medicinas tradicionais às práticas integrativas de saúde: caracterização dos recursos humanos nas práticas alternativas de saúde adotadas no Distrito
- 814. Fitoterapia na atenção básica: estudo com profissionais enfermeiros

SCIELO = 8 títulos

- 815. Avaliação do grau da implantação das práticas integrativas e complementares na Atenção Básica em Santa Catarina, Brasil
- 816. Avaliação do grau da implantação das práticas integrativas e complementares na Atenção Básica em Santa Catarina, Brasil
- 817. Práticas integrativas e complementares e relação com promoção da saúde: experiência de um serviço municipal de saúde
- 818. Práticas integrativas e complementares e relação com promoção da saúde: experiência de um serviço municipal de saúde
- 819. Práticas integrativas e complementares: oferta e produção de atendimentos no SUS e em municípios selecionados
- 820. Práticas integrativas e complementares: oferta e produção de atendimentos no SUS e em municípios selecionados
- 821. Representação social do terapeuta comunitário na rede SUS
- 822. Representação social do terapeuta comunitário na rede SUS

MEDLINE (via PUBMED) = 41 títulos

- 823. A student operated, faculty mentored dental clinic service experience at the University of Texas Health Science Center at San Antonio for the underserved refugee community: an interprofessional approach
- 824. An approach to teaching primary care physicians how to integrate complementary medicine into their daily practices: a pilot study
- 825. Community medicine in developing countries
- 826. Complementary and alternative medicine in primary care in Switzerland
- 827. Complementary medicine in general practice a national survey of GP attitudes and knowledge
- 828. Cross-cultural aspects of pregnancy and breast feeding
- 829. Does reported health promotion activity neglect people with ill-health?
- 830. Evaluation of a primary care-based programme designed to increase exercise and improve nutrition in patients at risk
- 831. Fostering traditional health systems and ethnomedicine practices through a holistic approach: a pioneering community strategy from Southern India
- 832. Health care in China
- 833. Health Partners of Western Ohio: Integrated Care Case Study
- 834. Healthcare workforce

- 835. Healthcare workforce
- 836. Human resources for primary health care in sub-Saharan Africa: progress or stagnation?
- 837. Informed choices. Your most valuable role in menopause care is education
- 838. Integrating mental health services into primary HIV care for women: the Whole Life project
- 839. Integrative and complementary health practices: the supply and production of care in the Unified National Health System and in selected municipalities in Brazil
- 840. It's just a way of approaching things now': staff perspectives of an anticipatory care programme in Edinburgh
- 841. Knowledge, attitudes and perceptions of HIV/AIDS among traditional birth attendants and herbal practitioners in Lagos State, Nigeria.
- 842. Management of chronic pain in primary care. Curr Opin Support Palliat Care
- 843. Maori experiences and perceptions of gout and its treatment: a kaupapa Maori qualitative study
- 844. National Policy on Integrative and Complementary Practices in the Brazilian Health System: steps towards the expansion of homeopathy
- 845. Navigating the health care system: perceptions of patients with chronic pain
- 846. Nepal: integrating traditional and modern health services in the remote area of Bashkharka
- 847. Newborn care and knowledge translation perceptions among primary healthcare staff in northern Vietnam
- 848. Nursing in the eighties
- 849. Patient and clinician openness to including a broader range of healing options in primary care
- 850. Primary care services. In search of alternative ways of providing services that are affordable, accessible and appropriate
- 851. Primary health care for whom? Village perspectives from Nepal
- 852. Progress and delivery of health care in Bhutan, the Land of the Thunder Dragon and Gross National Happiness
- 853. Reconceptualizing the core of nurse practitioner education and practice
- 854. Social representation of the community therapist in the Brazilian Unified Health System
- 855. Tandem practice model: a model for physician-nurse practitioner collaboration in a specialty practice, neurosurgery
- 856. The best of both worlds: bringing traditional medicine up to date
- 857. The health care system of Kuwait: the social paradoxes
- 858. The impact of illiteracy on the assessment of cognition and dementia: a critical issue in the developing countries
- 859. Traditional birth attendants
- 860. Traditional healers and community health
- 861. Training primary health care workers to foster community participation
- 862. Treatment of somatization in primary care: evaluation of the Personal Health Improvement Program
- 863. Women's health as empowerment: towards a holistic experience

WEB OF SCIENCE = 2 referências

- 864. Integrative and complementary health practices: the supply and production of care in the Unified National Health System and in selected municipalities in Brazil
- 865. Social representation of the community therapist in the Brazilian Unified Health System

Terceira expressão de busca:

BVS = 101 títulos:

- 866. A 6-year comparative economic evaluation of healthcare costs and mortality rates of Dutch patients from conventional and CAM GPs
- 867. Access to information and decision making on teenage pregnancy prevention by females in Tshwane
- 868. An approach for integrating complementary-alternative medicine into primary care
- 869. Aplicación de peloideterapía en enfermedades del sistema osteomioarticular: programa de capacitación
- 870. Applying integrative healthcare
- 871. Are doctors keeping up with the game?
- 872. Are people who use "natural drugs" aware of their potentially harmful side effects and reporting to family physician?
- 873. Assesssing herbal medical practitioners in professional qualifying examination in Ghana, a model
- 874. Bapedi traditional healers in the Limpopo Province, South Africa: their socio-cultural profile and traditional healing practice
- 875. Barriers to the integration of mind-body medicine: perceptions of physicians, residents, and medical students
- 876. CAM therapies among primary care patients using opioid therapy for chronic pain
- 877. Care-seeking for fatal illnesses in young children in Indramayu, west Java, Indonesia
- 878. Cervical cancer: the route from signs and symptoms to treatment in South Africa
- 879. Comment on "Preventive screening of women who use complementary and alternative medicine providers"
- 880. Complementary and alternative medicine in US family medicine practices: a pilot qualitative study
- 881. Complementary and alternative medicine use by primary care patients with chronic pain
- 882. Complementary and alternative medicine: attitudes and patterns of use by German physicians in a national survey
- 883. Complementary medicine for alcohol dependence in Italian services: a mail questionnaire
- 884. Complementary medicine in the primary care setting: Results of a survey of gender and cultural patterns in Israel
- 885. Cross-sectional survey on complementary and alternative medicine awareness among health care professionals and students using CHBQ questionnaire in a Balkan country
- 886. Culturally responsive care for Hmong patients. Collaboration is a key treatment component
- 887. Culture and biomedical care in Africa: the influence of culture on biomedical care in a traditional African society, Nigeria, West Africa
- 888. Culture, language, and health literacy: communicating about health with Asians and Pacific Islanders
- 889. Determinants of complementary alternative medicine (CAM) use
- 890. District nurses & #039; involvement in pain care: a theoretical model
- 891. Do 'alternative' help-seeking strategies affect primary care service use? A survey of help-seeking for mental distress
- 892. Ethnobotanical study of plants used for therapeutic purposes in the Atlantic Forest region, Southern Brazil

- 893. Ethnomedicinal application of native remedies used against diabetes and related complications in Mauritius
- 894. Ethnomedicinal survey of various communities residing in Garo Hills of Durgapur, Bangladesh
- 895. Ethnopharmacological survey of medicinal plants used in traditional medicine by the communities of Mount Hermon, Lebanon
- 896. Explanatory models of hypertension among Nigerian patients at a University Teaching Hospital
- 897. Factors associated with herbal use among urban multiethnic primary care patients: a crosssectional survey
- 898. Family Health Strategy doctors and nurses' perceptions of complementary therapies
- 899. Folk medicine and health beliefs: an Appalachian perspective
- 900. Folk medicine and modern medicine in St. Lucia: current beliefs, attitudes and practices of consumers and providers of health care and the implications for primary health care
- 901. Formação especializada em Saúde da Família: aprendizagem e mudança de práticas
- 902. Gendering local knowledge: medicinal plant use and primary health care in the Amazon
- 903. Healing in primary care: a vision shared by patients, physicians, nurses, and clinical staff
- 904. Health care in a community of followers of traditional African-Brazilian religions
- 905. Healthcare-seeking behaviour and use of traditional healers after snakebite in Hlabisa subdistrict, KwaZulu Natal
- 906. Herbal therapy use in a pediatric emergency department population: expect the unexpected
- 907. Homeopathy and the new fundamentalism: a critique of the critics
- 908. Human behavior, health education and schistosomiasis control: a review
- 909. Indigenous knowledge of medicinal plants used by the Reang tribe of Tripura state of India
- 910. Informal health providers and the transmission of hepatitis C virus: pilot study in two Egyptian villages
- 911. Integrating complementary and alternative medicine into conventional primary care: the patient perspective
- 912. Jordanian women's postpartum beliefs: an exploratory study
- 913. Knowledge and attitudes of primary health care physicians towards complementary and alternative medicine in the Riyadh region, Saudi Arabia
- 914. Knowledge and home management of malaria fever by mothers and care givers of under five children
- 915. Knowledge and practice of help-seeking for treatment of mental disorders in Pemba Island, Zanzibar
- 916. Knowledge, attitude, and practice toward epilepsy among rural Tanzanian residents
- 917. Knowledge, attitudes and practice of general practitioners towards complementary and alternative medicine in Doha, Qatar
- 918. La prise en charge du paludisme par les therapeutes traditionnels dans les aires de sante de Kendie (Bandiagara) et de Finkolo (Sikasso) au Mali
- 919. Los procesos de salud-enfermedad-atención desde la perspectiva de los usuarios de una policlínica del primer nivel de atención en Montevideo, Uruguay: Análisis de trayectos terapêuticos
- 920. Low use of rural maternity services in Uganda: impact of women's status, traditional beliefs and limited resources
- 921. Lymphatic filariasis and the women of India
- 922. Malaria: ethnomedical perceptions and practice in an Adangbe farming community and implications for control
- 923. Management of skin infections in Pacific children prior to hospitalization

- 924. Médecines alternatives, croyances et prise en charge des personnes vivant avec le VIH au Gabon
- 925. Medicina tradicional: as plantas medicinais no contexto de vida e trabalho dos agentes comunitários de saúde do município de Juiz de Fora
- 926. Medicinal plants of Otwal and Ngai Sub Counties in Oyam district, Northern Uganda
- 927. Medicinal plants used as home remedies: a family survey by first year medical students
- 928. Medicinal plants used by traditional healers in Bozüyük (Bilecik-Turkey)
- 929. Medicinal plants used by traditional medicine practitioners in the treatment of tuberculosis and related ailments in Uganda
- 930. Medicinal plants used for the treatment of diarrhoea in northern Maputaland, KwaZulu-Natal Province, South Africa
- 931. Medicinal plants used to control internal and external parasites in goats
- 932. Minimising corneal scarring from the use of harmful traditional eye remedies in developing countries
- 933. Negotiating complementary and alternative medicine use in primary care visits with older patients
- 934. No difference in stroke knowledge between Korean adherents to traditional and western medicine the AGE study: an epidemiological study
- 935. Nonmedical methods to relieve low back pain caused by lumbar disc herniation: a descriptive study in northeastern Turkey
- 936. Patient and clinician openness to including a broader range of healing options in primary care
- 937. Patient satisfaction and side effects in primary care: an observational study comparing homeopathy and conventional medicine
- 938. Patterns in medicinal plant knowledge and use in a Maroon village in Suriname
- 939. Perceived benefit of Complementary and Alternative Medicine (CAM) for back pain: a national survey
- 940. Percepção de médicos e enfermeiros da estratégia de saúde da família sobre terapias complementares
- 941. Perceptions of primary health care with regard to corresponding knowledge, attitude and practices amongst the Kenyan Maasai
- 942. Plantas medicinais, cultura e saúde nos quintais rurais do Vale do Mucuri
- 943. Prevalence and determinants of use of complementary and alternative medicine by hypertensive patients attending primary health care facilities in Kinshasa, Democratic Republic of the Congo: a cross-sectional study
- 944. Preventive screening of women who use complementary and alternative medicine providers
- 945. Promoting lifestyle self-awareness among the medical team by the use of an integrated teaching approach: a primary care experience
- 946. Race, Pain, and Beliefs Associated with Interest in Complementary and Alternative Medicine among Inner City Veterans
- 947. Referral patterns and attitudes of primary care physicians towards chiropractors
- 948. Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 949. Self-reported sexually transmitted disease symptoms and treatment-seeking behaviors in China
- 950. Sociocultural aspects of tuberculosis control in Ethiopia
- 951. Socio-cultural profile of Bapedi traditional healers as indigenous knowledge custodians and conservation partners in the Blouberg area, Limpopo Province, South Africa
- 952. The challenges of facilitating primary healthcare discussions on traditional, complementary and alternative medicine for childhood eczema: piloting a computerized template

- 953. The characteristics of complementary and alternative medicine use by parents of asthmatic children in Southern Israel
- 954. The cultural context of CAM
- 955. The prevalence and morbidity of snake bite and treatment-seeking behaviour among a rural Kenyan population
- 956. The prevalence, patterns of usage and people's attitude towards complementary and alternative medicine (CAM) among the Indian community in Chatsworth, South Africa
- 957. The pros and cons of immunization
- 958. Toward optimal health: reframing medical care to reflect a global perspective
- 959. Traditional bone setting in the Niger Delta region of Nigeria
- 960. UNO STUDIO ETNOGRAFICO DELLE PRATICHE E DEI SAPERI MEDICI NEL CONTESTO NAHUA (NAUPAN, PUEBLA, MESSICO)
- 961. Use of alternative therapies among Mexican Americans in the Texas Rio Grande Valley
- 962. Use of medicinal plants and pharmaceuticals by indigenous communities in the Bolivian Andes and Amazon
- 963. Use of medicinal plants for human health in Udzungwa Mountains Forests: a case study of New Dabaga Ulongambi Forest Reserve, Tanzania
- 964. Use of medicinal plants in the South-Eastern area of the Partenio Regional Park (Campania, Southern Italy)
- 965. Use of self-chosen therapies by depressed people in primary care
- 966. Women's and health-care providers' views of maternal practices and services in rural Nigeria

LILACS = 1 referência

967. Percepção de médicos e enfermeiros da estratégia de saúde da família sobre terapias complementares

SCIELO = 3 referências

- 968. Percepção de médicos e enfermeiros da Estratégia de Saúde da Família sobre terapias complementares
- 969. Percepção de médicos e enfermeiros da Estratégia de Saúde da Família sobre terapias complementares
- 970. Use of medicinal plants and pharmaceuticals by indigenous communities in the Bolivian Andes and Amazon

MEDLINE (via PUBMED) = 90 títulos

- 971. A 6-year comparative economic evaluation of healthcare costs and mortality rates of Dutch patients from conventional and CAM GPs
- 972. Access to information and decision making on teenage pregnancy prevention by females in Tshwane
- 973. Access to what? Health care for whom?
- 974. Alcohol and Complementary Medicine Research Group of the Italian Society for Alcohol Studies. Complementary medicine for alcohol dependence in Italian services: a mail questionnaire

- 975. Alternative medicine, beliefs, and management of people with HIV in Gabon
- 976. An approach for integrating complementary-alternative medicine into primary care
- 977. AN ETHNOGRAPHIC STUDY OF MEDICAL PRACTICES AND KNOWELEDGE IN THE NAHUA CONTEST (NAUPAN, PUEBLA, MEXICO)
- 978. Anticancer and antioxidant activities of methanol extracts and fractions of some Cameroonian medicinal plants
- 979. Applying integrative healthcare
- 980. Applying qualitative methods in developing a culturally tailored workbook for black patients with hypertension
- 981. Are doctors keeping up with the game?
- 982. Are people who use "natural drugs" aware of their potentially harmful side effects and reporting to family physician?
- 983. Assesssing herbal medical practitioners in professional qualifying examination in Ghana, a model
- 984. Associated with Interest in Complementary and Alternative Medicine among Inner City Veterans
- 985. Awareness of Stroke Risk after TIA in Swiss General Practitioners and Hospital Physicians
- 986. Barriers to the integration of mind-body medicine: perceptions of physicians, residents, and medical students
- 987. Beliefs, practices, and experiences of Korean women in relation to childbirth
- 988. CAM therapies among primary care patients using opioid therapy for chronic pain
- 989. Care-seeking for fatal illnesses in young children in Indramayu, west Java, Indonesia
- 990. Collaborative HIV/STD Prevention Trial Group. Self-reported sexually transmitted disease symptoms and treatment-seeking behaviors in China
- 991. Comment on "Preventive screening of women who use complementary and alternative medicine providers"
- 992. Complementary and alternative medicine in US family medicine practices: a pilot qualitative study
- 993. Complementary and alternative medicine use by primary care patients with chronic pain
- 994. Complementary and alternative medicine: attitudes and patterns of use by German physicians in a national survey
- 995. Complementary medicine in general practice a national survey of GP attitudes and knowledge
- 996. Complementary medicine in the primary care setting: Results of a survey of gender and cultural patterns in Israel
- 997. Complementary or alternative? The use of homeopathic products and antibiotics amongst preschool children
- 998. Cross-sectional survey on complementary and alternative medicine awareness among health care professionals and students using CHBQ questionnaire in a Balkan country
- 999. Culturally responsive care for Hmong patients
- 1000. Culture and biomedical care in Africa: the influence of culture on biomedical care in a traditional African society, Nigeria, West Africa
- 1001. Determinants of complementary alternative medicine (CAM) use
- 1002. District nurses' involvement in pain care: a theoretical model
- 1003.Do 'alternative' help-seeking strategies affect primary care service use? A survey of help-seeking for mental distress
- 1004. Ethnobotanical study of plants used for therapeutic purposes in the Atlantic Forest region, Southern Brazil

- 1005. Ethnomedicinal application of native remedies used against diabetes and related complications in Mauritius
- 1006. Ethnomedicinal survey of various communities residing in Garo Hills of Durgapur, Bangladesh
- 1007. Ethnopharmacological survey of medicinal plants used in traditional medicine by the communities of Mount Hermon, Lebanon
- 1008. Ethnozoology of the Karbis of Assam, India: Use of ichthyofauna in traditional health-care practices
- 1009. Explanatory models of hypertension among Nigerian patients at a University Teaching Hospital
- 1010. Factors associated with herbal use among urban multiethnic primary care patients: a crosssectional survey
- 1011. Family Health Strategy doctors and nurses' perceptions of complementary therapies
- 1012. Folk medicine and health beliefs: an Appalachian perspective
- 1013. Gendering local knowledge: medicinal plant use and primary health care in the Amazon
- 1014. Healing in primary care: a vision shared by patients, physicians, nurses, and clinical staff
- 1015. Healthcare-seeking behaviour and use of traditional healers after snakebite in Hlabisa subdistrict, KwaZulu Natal
- 1016. Herbal therapy use in a pediatric emergency department population: expect the unexpected
- 1017. Homeopathy and the new fundamentalism: a critique of the critics
- 1018. Human behavior, health education and schistosomiasis control: a review
- 1019. Indigenous knowledge of medicinal plants used by the Reang tribe of Tripura state of India
- 1020. Integrating complementary and alternative medicine into conventional primary care: the patient perspective
- 1021. Jordanian women's postpartum beliefs: an exploratory study
- 1022. Knowledge and attitudes of primary health care physicians towards complementary and alternative medicine in the Riyadh region, Saudi Arabia
- 1023. Knowledge of traditional healers on malaria in Kendi (Bandiagara) and Finkolo (Sikasso) in Mali
- 1024. Knowledge, attitude, and practice toward epilepsy among rural Tanzanian residents
- 1025. Knowledge, attitudes and perceptions of HIV/AIDS among traditional birth attendants and herbal practitioners in Lagos State, Nigeria
- 1026. Knowledge, attitudes and practice of general practitioners towards complementary and alternative medicine in Doha, Qatar
- 1027. Lymphatic filariasis and the women of India
- 1028. Management of skin infections in Pacific children prior to hospitalization
- 1029. Maori experiences and perceptions of gout and its treatment: a kaupapa Maori qualitative study
- 1030. Medicinal plants used by traditional healers in Bozüyük (Bilecik-Turkey)
- 1031. Medicinal plants used by traditional medicine practitioners in the treatment of tuberculosis and related ailments in Uganda
- 1032. Medicinal plants used to control internal and external parasites in goats
- 1033. Minimising corneal scarring from the use of harmful traditional eye remedies in developing countries
- 1034. Neem (Azadirachta indica): prehistory to contemporary medicinal uses to humankind
- 1035. Negotiating complementary and alternative medicine use in primary care visits with older patients
- 1036. Nonmedical methods to relieve low back pain caused by lumbar disc herniation: a descriptive study in northeastern Turkey
- 1037. Partners in family planning

- 1038. Patient and clinician openness to including a broader range of healing options in primary care
- 1039. Patient satisfaction and side effects in primary care: an observational study comparing homeopathy and conventional medicine
- 1040. Patterns in medicinal plant knowledge and use in a Maroon village in Suriname
- 1041. Perceived benefit of Complementary and Alternative Medicine (CAM) for back pain: a national survey
- 1042. Prevalence and determinants of use of complementary and alternative medicine by hypertensive patients attending primary health care facilities in Kinshasa, Democratic Republic of the Congo: a cross-sectional study
- 1043. Preventive screening of women who use complementary and alternative medicine providers
- 1044. Promoting lifestyle self-awareness among the medical team by the use of an integrated teaching approach: a primary care experience
- 1045.Reconstruction and resistance: cultural responses to living the health transition in French Polynesia
- 1046. Referral patterns and attitudes of primary care physicians towards chiropractors
- 1047. Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 1048. The challenges of facilitating primary healthcare discussions on traditional, complementary and alternative medicine for childhood eczema: piloting a computerized template
- 1049. The characteristics of complementary and alternative medicine use by parents of asthmatic children in Southern Israel
- 1050. The cultural context of CAM
- 1051. The health-disease-care process from the perspective of the users of a primary care clinic in Montevideo, Uruguay: An analysis of therapeutic trajectories
- 1052. The prevalence and morbidity of snake bite and treatment-seeking behaviour among a rural Kenyan population
- 1053. The prevalence, patterns of usage and people's attitude towards complementary and alternative medicine (CAM) among the Indian community in Chatsworth, South Africa
- 1054. The pros and cons of immunization
- 1055. Toward optimal health: reframing medical care to reflect a global perspective
- 1056. Use of alternative therapies among Mexican Americans in the Texas Rio Grande Valley
- 1057. Use of medicinal plants and pharmaceuticals by indigenous communities in the Bolivian Andes and Amazon
- 1058. Use of medicinal plants in the South-Eastern area of the Partenio Regional Park (Campania, Southern Italy)
- 1059. Use of self-chosen therapies by depressed people in primary care
- 1060. Women's and health-care providers' views of maternal practices and services in rural Nigeria

WEB OF SCIENCE = 2 títulos

- 1061. COllaborative Shared care to IMprove Psychosis Outcome (COSIMPO): study protocol for a randomized controlled trial
- 1062.Use of medicinal plants and pharmaceuticals by indigenous communities in the Bolivian Andes and Amazon

Quarta expressão de busca:

- 1063. A health model for community nursing
- 1064. A medical project in an African village
- 1065. A participação popular na assistência primária à saúde: a educação em saúde; medicina popular
- 1066. A student operated, faculty mentored dental clinic service experience at the University of Texas Health Science Center at San Antonio for the underserved refugee community: an interprofessional approach
- 1067. Acerca de la integración de subsistemas de salud empírico tradicional/occidental
- 1068. Actividades de la OMS, 1976-1977: informe bienal del Director General a la Asamblea Mundial de la Salud y a las Naciones Unidas
- 1069. Activité de l' OMS en 1976 1977: rapport biennal du Directeur général à l'
- 1070. Applicability of citronella oil (Cymbopogon winteratus) for the prevention of mosquito-borne diseases in the rural area of Tikapur, far-western Nepal
- 1071. Atención en salud con pertinencia intercultural: Módulo técnico teórico. Dirigido a personal facilitador de salud
- 1072. Attitudes of traditional healers towards Western medicine in rural Cameroon
- 1073. Auriculoterapia para profissionais de saúde: percursos possíveis da aprendizagem à implantação na Unidade de Saúde
- 1074. Automassagem sob a perspectiva da educação em saúde: Análise e intervenção
- 1075. Avaliação da satisfação do usuário com os serviços de Atenção Básica do Distrito de Saúde Sul da Secretaria Municipal de Saúde de Campinas/SP, no ano de 2011
- 1076. Caminhos para uma ação educativa emancipadora: a prática educativa no cotidiano dos serviços de aten ção primária em saúde
- 1077. Caminhos para uma ação educativa emancipadora: a prática educativa no cotidiano dos serviços de atenção primária em saúde
- 1078. Cervical cancer: the route from signs and symptoms to treatment in South Africa
- 1079. Chinese health system gets down to basics
- 1080. Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic
- 1081. Complementary medicine for alcohol dependence in Italian services: a mail questionnaire
- 1082. Conhece-te a ti mesmo: uma proposta de educação popular para saúde
- 1083. Construção histórica de modelos de intervenção em saúde/ Historic building health intervention models
- 1084. Contribuições para a construção da Nutrição Complementar Integrada
- 1085. Current trends in community-based clinical teaching programs in U.K.and Ireland dental schools
- 1086. Defeating " the worm" in Rajasthan
- 1087. Del lado de allá y del lado de acá. ¿Qué pueden aprender mutuamente los países emergentes latinoamericanos y España para mejorar sus perfiles del médico de familia?
- 1088. Diálogo entre profissionais de saúde e práticas populares de saúde
- 1089. Educação popular e a atenção à saúde da família
- 1090. Educação popular e a atenção à saúde da família
- 1091. Estudio antropologico de las diarreas infantiles en la comuna de Renca, Santiago, Chile
- 1092. Estudio antropologico de las diarreas infantiles en la comuna de Renca, Santiago, Chile

- 1093. Evaluation of a primary care-based programme designed to increase exercise and improve nutrition in patients at risk
- 1094. Factors influencing admission to hospital during terminal childhood illnesses in Kenya
- 1095. Family planning in Papua New Guinea
- 1096. Fitoterapia: uma proposta a nível de cuidados primários de saúde em Curitiba
- 1097. Fostering traditional health systems and ethnomedicine practices through a holistic approach: a pioneering community strategy from Southern India
- 1098. Global strategy for health for all by the year 2000
- 1099. Health education: more than just mumbo jumbo
- 1100. Holistic self-management education and support: a proposed public health model for improving women \$\pi\$ #039;s health in Zimbabwe
- 1101. Human behavior, health education and schistosomiasis control: a review
- 1102. Impact of geographical proximity on health care seeking behaviour in northern oman
- 1103. Indigenous concepts useful in programs. Experiences in the Bolivian highlands
- 1104. Informe del proyecto: aporte de la medicina popular a la estrategia de atención primaria de salud
- 1105. Interfaces de la medecine traditionnelle avec la medecine conventionnelle et les soins de sante primaires
- 1106. Introducing traditional Chinese nursing: a review of concepts, theories and practices
- 1107. Investigacion de creencias comunes sobre cinco enfermedades en el altiplano boliviano: un ejemplo Carabuco
- 1108. Knowledge and home management of malaria fever by mothers and care givers of under five children
- 1109. Knowledge, attitude, and practice toward epilepsy among rural Tanzanian residents
- 1110.Letter: Comments on "The administration of chiropractic in the New York City Medicaid program"
- 1111. Lymphatic filariasis and the women of India
- 1112. Manual para Técnico en atención primaria a la salud: modulo II medicina tradicional
- 1113. Medicine and public health in Latin America: a history
- 1114. Micosis superficiales: candidiasis y pitiriasis versicolor
- 1115. Micosis superficiales: candidiasis y pitiriasis versicolor
- 1116. Minimising cornea scarring from the use of harmful traditional eye remedies in developing countries
- 1117. Minimising corneal scarring from the use of harmful traditional eye remedies in developing countries
- 1118. Morar e trabalhar na mesma comunidade: A visão de praticantes populares de saúde
- 1119. Necesidades de educación para el desarrollo de programas binacionales de atención a la salud
- 1120. No difference in stroke knowledge between Korean adherents to traditional and western medicine the AGE study: an epidemiological study
- 1121. Pathways to mental health care in Nigeria
- 1122. Peas pass the carrots: Introducing Plant-based Nutrition in Primary Care
- 1123. Pediatric Care Provider Density and Personal Belief Exemptions From Vaccine Requirements in California Kindergartens
- 1124. Perspectiva de ampliação das funções da unidade básica de saúde: relato de experiência
- 1125. Política de práticas integrativas e complementares: potência de ampliação do cuidado na Atenção Primária

- 1126. Práticas interativas e complementares grupais nos serviços de saúde da atenção básica: possibilidades de diálogo com a educação popular
- 1127. Prevalence and pattern of alternative medicine use: the results of a household survey
- 1128. Primary care for women: the role of the obstetrician-gynecologist
- 1129. Primary health care and donor dependency: a case study of nongovernment assistance in Burkina Faso
- 1130. Primary health care and traditional medicine--considering the background of changing health care concepts in Africa
- 1131. Primary health care for whom? Village perspectives from Nepal
- 1132. Prise en charge de l' épilepsie dans les pays en développement
- 1133. Problems of primary health care in a newly developed society: reflections on the Hong Kong experience
- 1134. Psychiatry and Medicine: 1980
- 1135. Rapid ethnographic assessment: applications in a diarrhea management program
- 1136. Rationaliseringsvinster, folkhälsa, helhetssyn. Argument för utbyggnad av primärvården 1934-1968
- 1137. Relatives & #039; advice and health care-seeking behaviour in oman
- 1138. Ritual coordination of medical pluralism in highland Nepal: implications for policy
- 1139. Sociocultural aspects of tuberculosis control in Ethiopia
- 1140. Stratégie mondiale de la Santé pour tous d'
- 1141. Technologies for safe births
- 1142. The changing role of a Vaidya (non-codified traditional doctor) in the community health of Kerala, Southern India: comparison of treatment-seeking behaviours between the Vaidya's patients and community members
- 1143. The effect of demographic characteristics on self-medication patterns: a cross-sectional nationwide study from Slovenia
- 1144. The integration of bio-medicine and culturally based alternative medicine: implications for health care providers and patients
- 1145. The roles of federal legislation and evolving health care systems in promoting medical-dental collaboration
- 1146. The work of WHO, 1976-1977: biennial report of the Director-General to the World Health Assembly and to the United Nations
- 1147. Trabajos del Segundo Congreso Internacional de Medicinas Tradicionales: area de integración
- 1148. Uso medicinal de Atractylis gummifera en Guadiana del Caudillo (Badajoz, España), toxicidad y especies afines
- 1149. Where health is patriotismo
- 1150. Работа ВОЗ в 1976-1977 годах: двухгодичный отчет Генерального директора Всемирной ассамблее здравоохранения и Организации Объединенных
- أعمال منظمة الصحة العالمية 1976-1977 : تقرير المدير العام لفترة عامين الى جمعية الصحة العالمية والأمم المتحدة. 1151

LILACS = 5 títulos

- 1152. A participação popular na assistência primária à saúde: a educação em saúde; medicina popular
- 1153. Acerca de la integración de subsistemas de salud empírico tradicional/occidental
- 1154. Conhece-te a ti mesmo: uma proposta de educação popular para saúde

- 1155. Investigacion de creencias comunes sobre cinco enfermedades en el altiplano boliviano: un ejemplo Carabuco
- 1156. Micosis superficiales: candidiasis y pitiriasis versicolor

SCIELO = 4 títulos

- 1157. Contribuições para a construção da Nutrição Complementar Integrada
- 1158. Contribuições para a construção da Nutrição Complementar Integrada
- 1159. Del lado de allá y del lado de acá: ¿qué pueden aprender mutuamente los países emergentes latinoamericanos y España para mejorar sus perfiles del médico de familia?
- 1160. The role of physical therapists in the context of family health support centers

MEDLINE (via PUBMED) = 93 títulos

- 1161."In at the deep end": an intensive foundation training in homeopathy for medical students
- 1162. A health model for community nursing
- 1163. A medical project in an African village
- 1164. A people's movement for health and family planning
- 1165. A student operated, faculty mentored dental clinic service experience at the University of Texas Health Science Center at San Antonio for the underserved refugee community: an interprofessional approach
- 1166. A workshop for trainers of traditional birth attendants in Zaire
- 1167. Alcohol and Complementary Medicine Research Group of the Italian Society for Alcohol Studies.

 Complementary medicine for alcohol dependence in Italian services: a mail questionnaire
- 1168. Alumni perspectives comparing a general internal medicine program and a traditional medicine program
- 1169. An approach to teaching primary care physicians how to integrate complementary medicine into their daily practices: a pilot study
- 1170. An integrated mental health clinical rotation
- 1171. Clinical practice of integrative medicine in the United States and its development in primary care
- 1172. Community medicine in developing countries
- 1173. Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic
- 1174. Current trends in community-based clinical teaching programs in U.K.and Ireland dental schools
- 1175. Defeating "the worm" in Rajasthan. Women and water: India
- 1176. Education needs for the development of binational programs of health care
- 1177. Epidemiology of rheumatic diseases in rural and urban populations in Indonesia: a World Health Organisation International League Against Rheumatism COPCORD study, stage I, phase 2
- 1178. Evaluation of a primary care-based programme designed to increase exercise and improve nutrition in patients at risk
- 1179. Explanatory models of hypertension among Nigerian patients at a University Teaching Hospital
- 1180. Family planning in Papua New Guinea
- 1181. Fostering traditional health systems and ethnomedicine practices through a holistic approach: a pioneering community strategy from Southern India

- 1182. From provider to partner: a conceptual framework for nursing education based on primary health care premises
- 1183. From the classroom to the community: teaching primary health workers
- 1184. Health care in China
- 1185. Health education: more than just mumbo jumbo
- 1186.Herbal Medicine Practices of Patients With Liver Cancer in Peru: A Comprehensive Study Toward Integrative Cancer Management
- 1187. Herbal therapy use in a pediatric emergency department population: expect the unexpected
- 1188. Holistic self-management education and support: a proposed public health model for improving women's health in Zimbabwe
- 1189. Human behavior, health education and schistosomiasis control: a review
- 1190. IBFAN Africa training initiatives: code implementation and lactation management
- 1191. Impact of geographical proximity on health care seeking behaviour in northern oman
- 1192. Indigenous concepts useful in programs. Experiences in the Bolivian highlands. Sante Salud
- 1193. Integration of acupuncture into family medicine teaching clinics
- 1194. Integration of complementary and alternate medicine information and advice in chronic disease management guidelines
- 1195.INTEGRATION OF COMPLEMENTARY AND ALTERNATIVE MEDICINE WITH PRIMARY HEALTH CARE IN CROATIA OPINIONS OF PRIMARY HEALTH CARE PHYSICIANS
- 1196. Integrative primary care and the internet: opportunities and challenges
- 1197. Introducing traditional Chinese nursing: a review of concepts, theories and practices
- 1198. Knowledge, attitude, and practice toward epilepsy among rural Tanzanian residents
- 1199. Lymphatic filariasis and the women of India
- 1200. Maori experiences and perceptions of gout and its treatment: a kaupapa Maori qualitative study
- 1201. Maternal and child health care in traditional Rwandian environment
- 1202. Medical systems which coexist in the Novena region of Chile: a general description
- 1203. Medicinal plants and primary health care: part 2
- 1204. Minimising cornea scarring from the use of harmful traditional eye remedies in developing countries
- 1205. Minimising corneal scarring from the use of harmful traditional eye remedies in developing countries
- 1206. Nursing perceptions of collaboration with indigenous healers in Swaziland
- 1207. Older adults' perspectives on naturopathic medicine's impact on healthy aging
- 1208. Pathways to mental health care in Nigeria
- 1209. Peas pass the carrots: Introducing Plant-based Nutrition in Primary Care
- 1210. Philippines
- 1211. Physician health promotion training activities in primary care: a survey of the military residencies
- 1212. Prevalence and pattern of alternative medicine use: the results of a household survey
- 1213. Primary care and medical education
- 1214. Primary care for women: the role of the obstetrician-gynecologist
- 1215. Primary care. Vision of a rural doctor
- 1216. Primary health care and donor dependency: a case study of nongovernment assistance in Burkina Faso
- 1217. Primary health care for whom? Village perspectives from Nepal

- 1218. Primary health care in the People's Republic of China
- 1219. Promoting lifestyle self-awareness among the medical team by the use of an integrated teaching approach: a primary care experience
- 1220. Proposals for health services in northern Nigeria
- 1221. Providing Complementary and Alternative Medicine in primary care: the primary care workers' perspective
- 1222. Psychiatry and Medicine: 1980
- 1223. Rapid ethnographic assessment: applications in a diarrhea management program
- 1224. Reconceptualizing the core of nurse practitioner education and practice
- 1225. Relatives' advice and health care-seeking behaviour in oman
- 1226. Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 1227. Ritual coordination of medical pluralism in highland Nepal: implications for policy
- 1228. So much to do for the children of Africa
- 1229. South Africa: self-medication
- 1230. Systems for the management of respiratory disease in primary care--an international series: Pakistan
- 1231. Teaching in Spanish medical schools
- 1232. The changing shape of teaching physiology in South Asia: problems and prospects
- 1233. The effect of demographic characteristics on self-medication patterns: a cross-sectional nationwide study from Slovenia
- 1234. The effects of religious beliefs on the health care practices of the Amish
- 1235. The health care system of Kuwait: the social paradoxes
- 1236. The impact of changes in medical care on medical education
- 1237. The integration of bio-medicine and culturally based alternative medicine: implications for health care providers and patients
- 1238. The odysseys of Ulysses. A study of tales in a normal working day of the family doctor in Paraguay, Mexico, Peru, and Spain
- 1239. The practice and regulatory requirements of naturopathy and western herbal medicine in Australia
- 1240. The practice of pathology in Africa
- 1241. Therapeutic itinerary of severe malaria in adults admitted to a teaching hospital in Dakar, Senegal
- 1242. Traditional and modern medicine working in tandem
- 1243. Traditional birth attendants in Malawi
- 1244. Traditional healers and community health
- 1245. Traditional medicine to DNA vaccines: the advance of medical research in West Africa
- 1246. Traditional midwifery: a case study. Botsw Natl Health Bull
- 1247. Training folk practitioners as PHWs in rural India
- 1248. Training primary health care workers to foster community participation
- 1249. Training the next generation of providers in addiction medicine
- 1250. Understanding sleep in persons with diabetes
- 1251. WHO's traditional medicine programme: progress and perspectives
- 1252. Women's and health-care providers' views of maternal practices and services in rural Nigeria

1253. Women's health as empowerment: towards a holistic experience

WEB OF SCIENCE = 2 títulos

- 1254. Management of patient with Fibromyalgia in Primary Health Care
- 1255. Prevalence and pattern of alternative medicine use: the results of a household survey

Quinta expressão de busca:

BVS = 729 títulos

- 1256. ' Handing over ': transmission of information between nurses in an intensive therapy unit
- 1257. ' Makes you wanna do treatment ': benefits of a hepatitis C specialist clinic to clients in Christchurch, New Zealand
- 1258.'They don't ask me so I don't tell them': patient-clinician communication about traditional, complementary, and alternative medicine
- 1259. ' We had a vision of a better service '. Interview by Clare Lomas
- 1260.21st century rural nursing: Navajo Traditional and Western medicine
- 1261.30a reunión del Comité Regional para Asia Sudoriental: informe del Director Regional
- 1262.A 6-year comparative economic evaluation of healthcare costs and mortality rates of Dutch patients from conventional and CAM GPs
- 1263. A biofeedback service by nurses
- 1264. A black American nurse visits the People's Republic of China
- 1265. A blending of health strategies in a community-based nursing center
- 1266. A community nursing center: a cost-effective approach to alternative therapies?
- 1267. A comparison between the ethics of justice and the ethics of care
- 1268. A comprehensive approach to teaching smoking-cessation strategies
- 1269. A concept analysis examining the vulnerability of older people
- 1270. A concept analysis of holistic nursing care in paediatric nursing
- 1271.A critical appraisal of holistic teaching and its effects on dental student learning at University of Bergen, Norway
- 1272. A day in the life of a nurse. NP uses holistic approach on college campus
- 1273.A framework for credentialing naturopathic physicians in academic health centers: Oregon Health and Science University
- 1274.A Gathering of Native American Healers: Exploring the Interface of Indigenous Tradition and Professional Practice
- 1275. A integralidade da atenção em diabéticos com doença periodontal
- 1276. A interface entre a homeopatia e a biomedicina: o ponto de vista dos profissionais de saude não homeopatas
- 1277. A interface entre a homeopatia e a biomedicina: o ponto de vista dos profissionais de saude não homeopatas
- 1278. A mobile hospice nurse teaching team's experience: training care workers in spiritual and existential care for the dying a qualitative study
- 1279. A model for acupuncture training in primary care

- 1280. A model for the incorporation of the traditional healers into the national health care delivery system of South Africa
- 1281. A model of continuity of care for cancer patients with chronic pain
- 1282. A model of neurodevelopmental risk and protection for preterm infants
- 1283. A national probability survey of American Medical Association gynecologists and primary care physicians concerning menopause
- 1284. A nurse-led rheumatology clinic's impact on empowering patients with rheumatoid arthritis: A qualitative study
- 1285. A nurse-managed multiple sclerosis clinic: improved quality of life for persons with MS
- 1286. A participação dos agentes indígenas de saúde nos serviços de atenção à saúde: a experiência em Santa Catarina, Brasil
- 1287. A pilot study to compare the views of traditionally trained and CAM-trained therapists using the clinical exemplar of the management of neck
- 1288. A Política Nacional de Plantas Medicinais e Fitoterápicos: construção, perspectivas e desafios
- 1289. A positive concept of health interviews with patients and practitioners in an integrative medicine clinic
- 1290. A practical, step-by-step approach to stress management for women
- 1291. A primary health care project in Sarawak
- 1292. A primary health care project in the Amazonian jungle of northern Peru
- 1293. A proposal that benefits all
- 1294. A qualitative study explaining nurses \$\\$#039\$; perceptions of quality care for older people in long-term care settings in Ireland
- 1295. A qualitative study of naturopathy in rural practice: a focus upon naturopaths' experiences and perceptions of rural patients and demands for their services
- 1296. A qualitative study: potential benefits and challenges of traditional healers in providing aspects of palliative care in rural South Africa
- 1297.A randomised multicentre trial of acupuncture in patients with seasonal allergic rhinitis--trial intervention including physician and treatment characteristics
- 1298. A road map for the last journey: home telehealth for holistic end-of-life care
- 1299. A role for community health promoters in tuberculosis control in the state of Chiapas, Mexico
- 1300. A student view of the difference between general practice and rural and remote medicine
- 1301. A study to examine the attitudes, knowledge, and utilization of CAM by primary care professional in West Texas
- 1302. A survey of herbal use in children with attention-deficit-hyperactivity disorder or depression
- 1303. A survey of pediatric oncology nurses & #039; perceptions of parent educational needs
- 1304. A timely opportunity: fostering new roles for complementary and alternative health care providers in meeting the nation's need for primary health care
- 1305. A utilização da fitoterapia e de plantas medicinais em unidades básicas de saúde nos municípios de Cascavel e Foz do Iguaçu Paraná: a visão dos profissionais de saúde
- 1306. A utilização da fitoterapia e de plantas medicinais em unidades básicas de saúde nos municípios de Cascavel e Foz do Iguaçu Paraná: a visão dos profissionais de saúde
- 1307. A utilização da fitoterapia e de plantas medicinais emunidades básicas de saúde nos municípios de Cascavel e Foz do Iguaçu Paraná: a visão dos profissionais de saúde
- 1308. A vision sparks new beginnings
- 1309. A workshop for trainers of traditional birth attendants in Zaire
- 1310. Abbreviated mindfulness intervention for job satisfaction, quality of life, and compassion in primary care clinicians: a pilot study

- 1311. Abordaje Homeopático de diferentes afecciones en Atención Primaria de Salud
- 1312. Acceptability of a rice-based oral rehydration solution in Port Moresby General Hospital's
- 1313. Actividades de la OMS, 1976-1977: informe bienal del Director General a la Asamblea Mundial de la Salud y a las Naciones Unidas
- 1314. Activité de l'OMS en 1976 1977: rapport biennal du Directeur général à l'
- 1315. Actual versus projected cost avoidance for clinical pharmacy specialist-initiated medication conversions in a primary care setting in an integrated health system
- 1316. Acupuncture in an outpatient clinic in China: a comparison with the use of acupuncture in North America
- 1317. Acupuncture referrals in rural primary healthcare: a survey of general practitioners in rural and regional New South Wales, Australia
- 1318. Acupuncture. Essential information for nurse practitioners
- 1319. Addressing the transition from curative to palliative care: concept and acceptance of a specific communication skills training for physicians in oncology--COM-ON-
- 1320. Alternative medicine and the medical profession: views of medical students and general practitioners
- 1321. Alternatives to potentially inappropriate medications for use in e-prescribing software: triggers and treatment algorithms
- 1322. An American nurse visits a M & Dinic in West Africa
- 1323. An approach for integrating complementary-alternative medicine into primary care
- 1324. An Approach to Confederate Training Within the Context of Simulation-Based Research
- 1325. An audit of care planning on a neurology unit
- 1326.An ethnomedicinal survey on phytotherapy with professionals and patients from Basic Care Units in the Brazilian Unified Health System
- 1327. An exploratory typology of provider responses that encourage and discourage conversation about complementary and integrative medicine during routine oncology visits
- 1328. An innovative teaching strategy for staff development departments
- 1329. An integrated mental health clinical rotation
- 1330. Análise sobre a fitoterapia como prática integrativa no Sistema Único de Saúde
- 1331. Analysis of maternal deaths in the Central Region of Malawi
- 1332. Antenatal card for illiterate traditional birth attendants
- 1333. Antenatal health care policy, services and clients in urban Papua New Guinea
- 1334. Aplicación de un programa de entrenamiento para el automanejo del asma bronquial
- 1335. Aplicación de un programa de entrenamiento para el automanejo del asma bronquial
- 1336. Applauding the innovative work of Mâori nurses
- 1337. Application of the human needs conceptual model to dental hygiene practice
- 1338. Are doctors keeping up with the game?
- 1339. Are people who use "natural drugs" aware of their potentially harmful side effects and reporting to family physician?
- 1340. As práticas integrativas na Estratégia Saúde da Família: visão dos agentes comunitários de saúde
- 1341. As práticas integrativas na Estratégia Saúde da Família: visão dos agentes comunitários de
- 1342. Ask the doctor. What do doctors think of alternative medicine?
- 1343. Assessing traditional healers: an observational clinical study of classical Arabic medicine in Mauritania, with comparison of prognosis and outcome

- 1344. Assessment and management of neurogenic claudication associated with lumbar spinal stenosis in a UK primary care musculoskeletal service: a survey of current practice among physiotherapists
- 1345. At the heart of nursing
- 1346. Atenção primária- atuação do nível elementar: relatório
- 1347. Attitude of conventional and CAM physicians toward CAM in India
- 1348. Attitudes of traditional healers towards Western medicine in rural Cameroon
- 1349. Attitudes toward integration of complementary and alternative medicine in primary care: perspectives of patients, physicians and complementary practitioners
- 1350. Avaliação da satisfação do usuário com os serviços de Atenção Básica do Distrito de Saúde Sul da Secretaria Municipal de Saúde de Campinas/SP, no ano de 2011
- 1351. Ayurvedic medicine and primary health care
- 1352. Bebés saludables con estímulos y afecto/
- 1353. Best practice guidelines: an invitation to reflect on Therapeutic Touch practice
- 1354.Beurteilung und Verbreitung komplementärmedizinischer Verfahren--eine Befragung von 793 Arzten in Praxis und Klinik
- 1355. Beyond needling--therapeutic processes in acupuncture care: a qualitative study nested within a low-back pain trial
- 1356. Bioidentical hormones. Achieving the perfect fit
- 1357. Bloodroot: life stories of nurse practitioners in rural Appalachia
- 1358. Bodywork--the art of touch
- 1359. Botanical dietary supplement use in peri- and postmenopausal women
- 1360. Bound together for health. An introduction to chelation therapy
- 1361. Boundaries and e-health implementation in health and social care
- 1362.Bringing caring and competence into focus in gerontological nursing: a longitudinal, multimethod study
- 1363. Brückenschlag zwischen naturwissenschaftlicher Medizin und Komplementärmedizin--eine Utopie?
- 1364. Can we rapidly identify traditional, complementary and alternative medicine users in the primary care encounter? A RIOS Net study
- 1365. Cancer care at the Sunstone Healing Center
- 1366. Care and needs in a children 's burns unit
- 1367. Care during menopause: comparison of a women's health practice and traditional care
- 1368. Care of the patient with chronic pain: part II
- 1369. Care-seeking patterns for fatal non-communicable diseases among women of reproductive age in rural northwest Bangladesh
- 1370. Caring holistically within new managerialism
- 1371. Caring in a technological environment: how is this possible?
- 1372. Caritative leadership. Ministering to the patients
- 1373. Case management: entry-level practice for occupational therapists?
- 1374. Catching the wave of the future: hospital and physician-sponsored complementary medicine clinics
- 1375. Cervical cancer: the route from signs and symptoms to treatment in South Africa
- 1376. Challenges and coping strategies of parents of children with autism on the Kenyan coast
- 1377. Challenges for new nurses in evidence-based practice

- 1378. Challenges of complementary and alternative medicine in the SUS aiming to health promotion
- 1379. Challenges to effective cancer control in China, India, and Russia
- 1380. Changing boundaries: modes of coexistence of alternative and biomedicine
- 1381. Changing patterns of corneal disease and associated vision loss at a rural African hospital following a training programme for traditional healers
- 1382. Changing roles and identities of midwives in rural Costa Rica
- 1383. Characteristics of chiropractors and their patients in Belgium
- 1384. Childbearing among the Igbos of Nigeria
- 1385. Chinese health system gets down to basics
- 1386. Chiropractic-primary care, neuromusculoskeletal care, or musculoskeletal care? Results of a survey of chiropractic college presidents, chiropractic organization leaders, and Connecticut-licensed doctors of chiropractic
- 1387. Chiropractor perceptions and practices regarding interprofessional service delivery in the Danish primary care context
- 1388. Chiropractors \$\&\pmu 039\$; characteristics associated with physician referrals: results from a survey of Canadian doctors of chiropractic
- 1389. Chronic obstructive pulmonary disease
- 1390. Chronic wound caring ... a long journey toward healing
- 1391. Churches are joining the health care team
- 1392. Clients becoming teachers: Speech-language pathology students ' understanding of rehabilitation following clinical practicum in a rehabilitation setting
- 1393. Clinical aromatherapy. Therapeutic uses for essential oils
- 1394. Clinical practice of integrative medicine in the United States and its development in primary care
- 1395. Clinical reasoning and patient-centred care in musculoskeletal physiotherapy in Portugal--a qualitative study
- 1396. Clinique infirmière et yoga
- 1397. Colostomy problems--dietary and colostomy management
- 1398. Combining Best Practices and Patient, Caregiver, and Healthcare Provider Perspectives for Late-Life Supportive Care: LifeCourse
- 1399. Commentary on Series: The research agenda for general practice
- 1400. Comments on complementary and alternative medicine in Europe
- 1401. Common herb-drug interactions: what you should know
- 1402. Communication about complementary and alternative medicine: perspectives of primary care clinicians
- 1403. Community health workers in Bolivia: adapting to traditional roles in the Andean community
- 1404. Community resources for rehabilitation of patients with chronic obstructive pulmonary diseases and cor pulmonale
- 1405. Community-based intervention for depression management at the primary care level in Ha Nam Province, Vietnam: a cluster-randomised controlled trial
- 1406. Comparison of mortality between villages with and without Primary Health Care workers in Upper River Division, The Gambia
- 1407. Complementary and alternative medical practices: training, experience, and attitudes of a primary care medical school faculty
- 1408. Complementary and alternative medicine in paediatrics in daily practice--a European perspective
- 1409. Complementary and alternative medicine use among patients presenting to a pediatric otolaryngology clinic

- 1410. Complementary and alternative medicine used by children in military pediatric clinics
- 1411. Complementary and alternative medicine: attitudes and patterns of use by German physicians in a national survey
- 1412. Complementary and alternative medicine: the move into mainstream health care
- 1413. Complementary and conventional medicine in Switzerland: comparing characteristics of general practitioners
- 1414. Complementary healthcare practices and the implications for nurse practitioners
- 1415. Complementary medical health services: a cross sectional descriptive analysis of a Canadian naturopathic teaching clinic
- 1416. Complementary medicine at Exeter: the first 10 years
- 1417. Complementary medicine use by the Australian population: a critical mixed studies systematic review of utilisation, perceptions and factors associated with use
- 1418. Complementary medicine: the alternative alternative?
- 1419. Complementary or alternative medicine
- 1420. Complementary therapies for HIV
- 1421. Complementary therapy use by cancer patients
- 1422. Concepts of mental illness and medical pluralism in Harare
- 1423. Confluência das práticas alternativas de saúde: caracterização dos recursos humanos nas práticas alternativas de saúde adotadas no Distrito Federal
- 1424. Conhecimento materno e uso de tratamentos alternativos para icterícia neonatal
- 1425. Conhecimento, acesso e aceitação das práticas integrativas e complementares em saúde por uma comunidade usuária do Sistema Único de Saúde na cidade de Tubarão/SC
- 1426. Conocimiento sobre fitofámacos en médicos de atención primaria del estado de Morelos
- 1427. Consumer-directed health care: implications for health care organizations and managers
- 1428. Context and trade-offs in family medicine
- 1429. Contribuição para o planejamento de um programa de saúde da mulher no Estado de São Paulo Interfaces de la medecine traditionnelle avec la medecine conventionnelle et les soins de sante primaires
- 1430. Contribuições da Naturologia para a autonomia do interagente
- 1431. Contributions by nurse practitioners in primary care to prevention and management of illness
- 1432. Coordinating integrated services: a pilot study with participants of a co-ordinators course
- 1433. Corporeidade nos grupos de práticas integrativas corporais e meditativas na rede pública de atenção primária à saúde da região oeste do município de São Paulo
- 1434. CQI-2--a new measure of holistic interpersonal care in primary care consultations
- 1435. Creating sustainable curricular change: lessons learned from an alternative therapies educational initiative
- 1436. Cross-cultural aspects of pregnancy and breast feeding
- 1437. Cross-sectional survey on complementary and alternative medicine awareness among health care professionals and students using CHBQ questionnaire in a Balkan country
- 1438. Cuidando a la persona, no sólo su enfermedad. Actitudes y saberes para la práctica enfermera cotidiana
- 1439. Cuidar da integralidade do ser: perspectiva estética
- 1440. Cuidar da integralidade do ser: perspectiva estética
- 1441. Cultural health beliefs in a rural family practice: a Malaysian perspective
- 1442. Cultural practices in Nigeria

- 1443. Cultural variations in the clinical presentation of depression and anxiety: implications for diagnosis and treatment
- 1444. Culturally responsive care for Hmong patients. Collaboration is a key treatment component
- 1445. Curing and caring: the work of primary care physicians with dementia patients
- 1446. Current trends in community-based clinical teaching programs in U.K.and Ireland dental schools
- 1447. De la maladie chronique à la multimorbidité : quel impact sur l' organisation des soins de santé ?
- 1448. Death of the service user: towards wellbeing and social inclusion
- 1449. Dementia, personhood, and nursing: learning from a nursing situation
- 1450. Depresión y homeopatía. Una alternativa de tratamento
- 1451. Depresión y homeopatía: una alternativa de tratamento
- 1452. Designing for patient-centered care--making it happen in today's marketplace
- 1453. Designing relational models of collaborative integrative medicine that support healing processes
- 1454. Developing and evaluating complementary therapy services: Part 1. Establishing service provision through the use of evidence and consensus development
- 1455. Developing integrative primary healthcare delivery: adding a chiropractor to the team
- 1456. Developing the new paradigm of integrative nursing through community
- 1457. Development and implementation of an herbal and natural product elective in undergraduate medical education
- 1458. Development and testing of an instrument to measure holistic nursing values in nurse practitioner care
- 1459. Development of a series of patient information leaflets for constipation using a range of cognitive interview techniques: LIFELAX
- 1460. Development of an integrative patient history intake tool: a Delphi study
- 1461. Diagnosing vocal cord dysfunction in young athletes
- 1462. Diagnosis and management of chronic fatigue syndrome/myalgic encephalitis in black and minority ethnic people: a qualitative study
- 1463. Diagnosis and management of geriatric insomnia: a guide for nurse practitioners
- 1464. Diálogo entre profissionais de saúde e práticas populares de saúde
- 1465. Dialogue medicine: a health-liberating attitude in general practice
- 1466. Die beskikbaarheid van verpleegkundiges vir die lewering van 'n omvattende gesondheidsdiens
- 1467. Differences between Practice Patterns of Conventional and Naturopathic GPs in Germany
- 1468. Difficulties in the integration of psychological and medical practices
- 1469. Dilemmas, tetralemmas, reimagining the electronic health record
- 1470. Dilemmas, tetralemmas, reimagining the electronic health record
- 1471. DIRAE study: seasonal allergic rhinitis distribution in Spain
- 1472. Dispensación de preparados fitoterápicos en farmacias comunitarias de Sevilla
- 1473. District nurses & #039; involvement in pain care: a theoretical model
- 1474. Do attitudes and beliefs regarding complementary and alternative medicine impact its use among patients with cancer? A cross-sectional survey
- 1475. Editorial: holism--remembering what it is to be human!
- 1476. Educação permanente em acupuntura: análise de um processo educativo e suas repercussões na prática de médicos da atenção primária à saúde

- 1477. Educating CAM practitioners about integrative medicine: an approach to overcoming the communication gap with conventional health care practitioners
- 1478. Effective communication about the use of complementary and integrative medicine in cancer care
- 1479. Effectiveness gaps: a new concept for evaluating health service and research needs applied to complementary and alternative medicine
- 1480. Effectiveness of manual therapy compared to usual care by the general practitioner for chronic tension-type headache: design of a randomised clinical trial
- 1481. Effects of snoezelen, integrated in 24 h dementia care, on nurse-patient communication during morning care
- 1482. Enhancing meaning in work: a prescription for preventing physician burnout and promoting patient-centered care
- 1483. Estudo etnofarmacológico em entorno de floresta urbana como subsídio para a implantação da Fitoterapia no Sistema Único de Saúde
- 1484. Ethical considerations of doll therapy for people with dementia
- 1485. Etude de la consommation des Medicaments Traditionnels Ameliores dans le district sanitaire de Kadiolo (Region de Sikasso, Mali)
- 1486. Evaluación de la efectividad de un programa de mindfulness en profesionales de atención primaria
- 1487. Evaluating clinical performance using simulated patients
- 1488. Evaluation of a general practitioner referral service for manual treatment of back and neck pain
- 1489. Everyday nursing concerns: unique? trivial? or essential to healthcare ethics?
- 1490. Evidence-based healthcare, clinical knowledge and the rise of personalised medicine
- 1491. Evolução dos recursos humanos nas práticas alternativas de saúde no setor público do Distrito Federal
- 1492. Examining the evidence for the use of vitamin C in the prophylaxis and treatment of the common cold
- 1493. Exclusive versus everyday forms of professional knowledge: legitimacy claims in conventional and alternative medicine
- 1494. Experience and attitudes of women towards traditional and modern midwifery: household survey
- 1495. Experiences of acupuncturists in a placebo-controlled, randomized clinical trial
- 1496. Exploring person-centred care
- 1497. Factors influencing practices for chronic prostatitis: a nationwide survey of urologists in South Korea
- 1498. Factors influencing the use of complementary and alternative medicine and whether patients inform their primary care physician
- 1499. Family Health Strategy doctors and nurses & #039; perceptions of complementary therapies
- 1500. Family Health Strategy doctors and nurses & #039; perceptions of complementary therapies
- 1501. Family planning in Papua New Guinea
- 1502. Finding room for spirituality in healthcare
- 1503. First-contact care with a medical vs chiropractic provider after consultation with a swiss telemedicine provider: comparison of outcomes, patient satisfaction, and health care costs in spinal, hip, and shoulder pain patients
- 1504. Fitoterapia na Atenção Básica: olhares dos gestores e profissionais da Estratégia Saúde da Família de Teresina (PI), Brasil
- 1505. Fitoterapia na Atenção Básica: olhares dos gestores e profissionais da Estratégia Saúde da Família de Teresina (PI), Brasil

- 1506. Five-year outcomes of western mental health training for Traditional Chinese Medicine practitioners
- 1507. For more than love or money: attitudes of student and in-service health workers towards rural service in India
- 1508. Formação especializada em Saúde da Família: aprendizagem e mudança de práticas
- 1509. Forming connections in the homeopathic consultation
- 1510. Frequency of symptoms and health seeking behaviours of menopausal women in an out-patient clinic in Port Harcourt, Nigeria
- 1511. From the classroom to the community: teaching primary health workers
- 1512. Fundamentación del modelo de gestión intercultural ecuatoriana en la atención primaria de salud
- 1513. Futility in practice
- 1514. Future directions for gerontology: a nursing perspective
- 1515. General practitioners believe that hypnotherapy could be a useful treatment for irritable bowel syndrome in primary care
- 1516. General practitioners & #039; perspectives on the management of gout: a qualitative study
- 1517. Generalized anxiety and depression in primary care: prevalence, recognition, and management
- 1518. Geriatric occupational therapy: the uncertain ideology of long-term care
- 1519. Growing up healthy: the Chinese experience
- 1520. Grupo de cuidador primario de daño cerebral: una perspectiva de análisis
- 1521. Guía de alimentación para el paciente diabético tipo 2: una propuesta aplicable en atención primaria
- 1522. Guidelines for providing acupuncture treatment for cancer patients--a peer-reviewed sample policy document
- 1523. Guidelines for training traditional health practitioners in primary health care
- 1524. Guidelines for training traditional health practitioners in primary health care
- 1525. Hardiness: a new perspective in health promotion
- 1526. Headaches in children and adolescents. A blueprint for pharmacologic and nonpharmacologic approaches
- 1527. Healers in transition
- 1528. Healing in primary care: a vision shared by patients, physicians, nurses, and clinical staff
- 1529. Healing with homeopathy. An introduction to basic tenets
- 1530. Health care for some: a Nigerian study of who gets what, where and why?
- 1531. Health care providers & #039; training, perceptions, and practices regarding stress and health outcomes
- 1532. Health complaints, remedies and medical assistance in a peri-urban area
- 1533. Health information wanted and obtained from doctors
- 1534. Health promotion in palliative care: the patients \$\&\pm\$#039; perception of the rapeutic interaction with the palliative nurse in the primary care setting
- 1535. Healthcare professional views and experiences of complementary and alternative therapies in obstetric practice in North East Scotland: a prospective questionnaire survey
- 1536. Healthcare workforce
- 1537. Healthcare workforce
- 1538. Healthcare workforce
- 1539. Herbal therapy use in a pediatric emergency department population: expect the unexpected

- 1540. High use of complementary therapies in a New South Wales rural community
- 1541. Holistic care for the 60+: volunteers and a community make it happen
- 1542. Holistic healing methods positively advance patient care
- 1543. Holistic Practice in Traumatic Brain Injury Rehabilitation: Perspectives of Health Practitioners
- 1544. Home care: changes and concerns
- 1545. Homeopathy and complementary medicine in Tuscany, Italy: integration in the public health system
- 1546. Homeopathy in rural Australian primary health care: a survey of general practitioner referral and practice in rural and regional New South Wales, Australia
- 1547. Homosexual y adolescente. Una visión holística desde atención primaria de salud Physicians & #039; personal and practice use of cam therapies in a rural community in the southeast United States
- 1548. Homosexual y adolescente. Una visión holística desde Atención Primaria de Salud
- 1549. Hospices as providers of total care in one western state
- 1550. How do people with cancer wish to be cared for in primary care? Serial discussion groups of patients and carers
- 1551. How mental health nursing can best improve service users \$\&\pmu\$039; experiences and outcomes in inpatient settings: responses to a national consultation
- 1552. How patient-centred am I? A new method to measure physicians ' patient-centredness
- 1553. How patients choose osteopaths: a mixed methods study
- 1554. Humanização de serviços e a homeopatia
- 1555. Hva betyr det for pasientene å ha fast lege? En undersøkelse av pasientatferd og pasienters synspunkter på tilgjengeligheten til de alternative legetilbud i Bergen
- 1556. Hypnosis for habit disorders. Helping children help themselves
- 1557. Identifying and integrating consumer perspectives in clinical practice guidelines on autosomaldominant polycystic kidney disease
- 1558. If you build it, will they come? Designing truly patient-centered health care
- 1559. Impact of a Clinical Educational Effort in Driving Transformation in Health Care
- 1560.Implementation of an Integrative Holistic Healthcare Model for People Living with Parkinson's Disease
- 1561. Implications for education in complementary and alternative medicine: a survey of entry attitudes in students at five health professional schools
- 1562. Improvement in the management of gout is vital and overdue: an audit from a UK primary care medical practice
- 1563. Improving healthcare delivery with the transformational whole person care model
- 1564. Improving neonatal care: women as health providers
- 1565. India mental health country profile
- 1566.Inflammatory bowel disease: primary health care management of ulcerative colitis and Crohn's disease
- 1567. Informal allopathic provider knowledge and practice regarding control and prevention of TB in rural Bangladesh
- 1568. Informal health providers and the transmission of hepatitis C virus: pilot study in two Egyptian villages
- 1569. Information needs of Chinese surgical patients on discharge:a comparison of patients \$\'\$; and nurses \$\'\$; perceptions
- 1570. Informationsbedarf von Menschen mit Ulcus cruris venosum. Expertenwissen Betroffener als Grundlage für patientenzentrierte Informationen

- 1571. Informed choices. Your most valuable role in menopause care is education
- 1572. Inhimillinen hoitotyö
- 1573. Innovation in transformative nursing leadership: nursing informatics competencies and roles
- 1574. Inside a Postpartum Nursing Center: Tradition and Change
- 1575. Integralidade como eixo da formação dos profissionais de saúde
- 1576. Integralidade da assistência na compreensão dos profissionais da estratégia saúde da família
- 1577. Integralidade da assistência na compreensão dos profissionais da estratégia saúde da família
- 1578. Integrality: life principle and right to health
- 1579. Integrating self-help materials into mental health practice
- 1580. Integrating sustainability and health care
- 1581. Integrating traditional medical practice with primary healthcare system in Eritrea
- 1582. Integration Between Mental Health-Care Providers and Traditional Spiritual Healers: Contextualising Islam in the Twenty-First Century
- 1583. Integration of complementary and alternative medicine in primary care: what do patients want?
- 1584. Integration of complementary and alternative medicine information and advice in chronic disease management guidelines
- 1585. Integration of medical and psychological treatment within the primary health care setting
- 1586. Integrative medicine clinic requires solid business plan
- 1587. Integrative medicine: enhancing quality in primary health care
- 1588.Integrative perspectives MINDFUL CARE: an integrative tool to guide holistic treatment in enhancing fertility
- 1589. Integrative therapies in primary care practice
- 1590. Interdisciplinary perspectives on the management of the unsettled baby: key strategies for improved outcomes
- 1591.International cooperation in support of homeopathy and complementary medicine in developing countries: the Tuscan experience
- 1592. Interprofessional working: communication, collaboration... perspiration!
- 1593. Intervención sobre tabaquismo en atención primaria de salud
- 1594. Intervención sobre tabaquismo en atención primaria de salud
- 1595. Investigation into factors influencing roles, relationships, and referrals in integrative medicine
- 1596. Ipelegeng. Let ideas bubble up
- 1597. Is St. John's wort safe in HIV?
- 1598. Is there a geography of alternative medical treatment in The Netherlands?
- 1599. Kicking butt. A review of smoking cessation strategies
- 1600. Knowledge and attitudes of primary health care physicians towards complementary and alternative medicine in the Riyadh region, Saudi Arabia
- 1601. Knowledge and home management of malaria fever by mothers and care givers of under five children
- 1602. Knowledge and practice of complementary medicine amongst public primary care clinic doctors in Kinta district. Perak
- 1603. Knowledge and practice of help-seeking for treatment of mental disorders in Pemba Island, Zanzibar
- 1604. Knowledge, attitudes and practice of general practitioners towards complementary and alternative medicine in Doha, Qatar
- 1605. Ko' olauloa: Hawai' i' s North Shore nurse practitioner based clinics

- 1606. La atencion primaria de salud alternativa de promocion comunitária
- 1607. La médecine traditionnelle a encore sa raison d'
- 1608. La religiosidad en la curación de la persona con hipertensión arterial sistémica
- 1609.Le role des accoucheuses traditionnelles dans la prestation des soins de sante primaires au Rwanda
- 1610.Letter: Comments on "The administration of chiropractic in the New York City Medicaid program"
- 1611. Liga de humanização sarakura: contribuição para a formaçãodos profissionais da saúde
- 1612. Liga de humanização sarakura: contribuição para a formaçãodos profissionais da saúde
- 1613. Living with pleasure in daily life at the end of life: recommended care strategy for cancer patients from the perspective of physicians and nurses
- 1614. Looks can be deceiving. The behind-the-scenes battle of fibromyalgia
- 1615. Los curanderos tradicionales y la salud de la comunidade
- 1616. Los curanderos tradicionales y la salud de la comunidade
- 1617. Management of Alzheimer 's disease
- 1618. Management of phenylketonuria for optimal outcome: a review of guidelines for phenylketonuria management and a report of surveys of parents, patients, and clinic directors
- 1619. Management of the early symptoms of influenza-like illnesses and ear, nose and throat (ENT) disorders by pharmacists
- 1620. Managing mental health problems in primary care
- 1621. Manual para Técnico en atención primaria a la salud: modulo II medicina tradicional
- 1622. Martyrdom by toads' tongues. Early Canadian doctors and their victims
- 1623. Maternity care in the Sudd, southern Sudan
- 1624. Medical students ' awareness of traditional Southwest Native American values during pregnancy: a randomized, controlled trial
- 1625. Medicalisation of life: are nurses involved?
- 1626. Medicalização social e odontologia: possíveis aproximações
- 1627. Medicina andina: situaciones y respuestas
- 1628. Medicina complementar e alternativa na rede básica de serviços de saúde: uma aproximação qualitativa
- 1629. Medicina complementar e alternativa na rede básica de serviços de saúde: uma aproximação qualitativa
- 1630. Medicina tradicional 500 años después: historia y consecuencias actuales
- 1631. Medicina tradicional: as plantas medicinais no contexto de vida e trabalho dos agentes comunitários de saúde do município de Juiz de Fora
- 1632. Medicinal plants used by traditional healers in Bozüyük (Bilecik-Turkey)
- 1633. Medicine in the 21st century: the situation in a rural Iraqi community
- 1634. Médicos y yatiris: salud e interculturalidad en el altiplano aymara
- 1635. Memory clinics
- 1636. Menschen mit Epilepsie. Der Mensch, nicht die Krankheit inn zentrum
- 1637. Mental health triage: towards a model for nursing practice
- 1638. Micosis superficiales: candidiasis y pitiriasis versicolor
- 1639. Micosis superficiales: candidiasis y pitiriasis versicolor
- 1640. Micosis superficiales: dermatofitosi

- 1641. Micosis superficiales: dermatofitosis
- 1642. Mindfulness-based stress reduction: a literature review and clinician 's guide.
- 1643. Modeling an integrative oncology program within a community-centered oncology service in Israel
- 1644. Modelo de atención integral de salud en la percepción de los directivos de la dirección regional, hospitales y centros de salud del Ministerio de Salud del departamento de Ica 2007
- 1645. Modelos explicativos do setor profissional em relação às plantas medicinais
- 1646. Modelos explicativos do setor profissional em relação às plantas medicinais
- 1647. Models of collaboration
- 1648. Models of health and models of interaction in the practitioner-client relationship in acupuncture
- 1649. Models of health: a survey of practitioners
- 1650. Mothers & #039; attitudes to children & #039; s chest infections in India
- 1651. Multidisciplinary chronic pain management in a rural Canadian setting
- 1652. Multiple sclerosis: managing patients in primary care
- 1653. Musculoskeletal training for orthopaedists and nonorthopaedists: experiences in India
- 1654. Music Therapy Helped Me Get Back Doing": Perspectives of Music Therapy Participants in Mental Health Services
- 1655. My life: my encounters with insanity
- 1656. Naturopathy and the primary care practice
- 1657. Navigating a safe path together: a theory of midwives ' responses to the use of complementary and alternative medicine
- 1658. Negotiating complementary and alternative medicine use in primary care visits with older patients
- 1659. Nepal: integrating traditional and modern health services in the remote area of Bashkharka
- 1660. Newborn care and knowledge translation perceptions among primary healthcare staff in northern Vietnam
- 1661. NICE guideline on osteoarthritis: is it fair to acupuncture?
- 1662. NICE guideline on osteoarthritis: is it fair to acupuncture?
- 1663. Nonconventional medicine in Israel: consultation patterns of the Israeli population and attitudes of primary care physicians
- 1664. Nurse led telephone follow up in ovarian cancer: a psychosocial perspective
- 1665. Nurse practitioners in primary care
- 1666. Nursing abroad: a Chinese adventure
- 1667. Nursing perceptions of collaboration with indigenous healers in Swaziland
- 1668. Nursing Workforce in Hubei China: Implications for the Development of Traditional Chinese Medicine Education
- 1669. Nursing \$\\$#039;s renaissance. An innovative continuum of care takes nurses back to their roots
- 1670. Nutrition in the education of the family physician
- 1671.O conhecimento dos profissionais de saúde acerca do uso de terapias complementares no contexto da atenção básica
- 1672. O diálogo entre o saber tradicional e o saber médico-científico em uma comunidade tradicional de pescadores no litoral da Amazônia
- 1673. O Ensino da Acupuntura na Escola Médica: Interesse e Desconhecimento
- 1674. O ensino da homeopatia e a prática no SUS/ La enseñanza de la homeopatia y las practica en el servicio Unificado de Salud brasileño

- 1675.Ob otnoshenii uchastkovykh vrachei-terapevtov i bol'nykh gipertonicheskoi bolezn'iu k osushchestvleniiu reabilitatsionnykh meropriiatii v ambulatornykh usloviiakh
- 1676. Observations from a bottom-line-oriented true believer
- 1677. Oficina do afeto: uma intervenção em atenção primária à saúde e a contribuição da teoria psicodramática
- 1678. On the meta-physical aspect of health care: attitudes, values, and other thoughts we use to think Primary health care in Ubon refugee camp
- 1679. Oncology professionals and patient requests for cancer support services
- 1680. One last question: opening Pandora's box?
- 1681. Os cuidados do enfermeiro-acupunturista ao paciente com angina estável: uma relação rumo a integralidade da assistência: [revisão]
- 1682. Os cuidados do enfermeiro-acupunturista ao paciente com angina estável: uma relação rumo a integralidade da assistência
- 1683. Otitis media: current treatment issues & amp; trends
- 1684. Overactive bladder syndrome in the older woman: conservative treatment
- 1685. Overactive bladder. Strategies for better recognition and management
- 1686. Overcoming the top 10 tracheotomy self-care learning barriers
- 1687.P.C. Sen Best Paper Award (2002). Profile of care providers in five blocks of Nasik Maharashtra. A window on rural health services in Maharashtra
- 1688. Paradigm shift: stages of physicians ' entry into integrative practice
- 1689. Parental presence during pediatric invasive procedures
- 1690. Parents \$\&\pmu(39)\$; and primary healthcare practitioners \$\&\pmu(39)\$; perspectives on the safety of honey and other traditional paediatric healthcare approaches
- 1691. Pathway to care for psychiatric patients in a developing country: Malawi
- 1692. Patient and clinician openness to including a broader range of healing options in primary care
- 1693. Patient and family involvement in hospice interdisciplinary teams
- 1694. Patient characteristics for outpatient acupuncture in Beijing, China
- 1695. Patient empowerment: a general practice perspective
- 1696. Patient safety: effective interdisciplinary teamwork through simulation and debriefing in the neonatal ICU
- 1697. Patient satisfaction of primary care for musculoskeletal diseases: a comparison between Neural Therapy and conventional medicine
- 1698. Patient satisfaction with primary care: a comparison between conventional care and traditional Chinese medicine
- 1699. Patient satisfaction with primary care: an observational study comparing anthroposophic and conventional care
- 1700. Patient-centered care: antecedents, triggers, and mediators
- 1701. Patient-centered communication during primary care visits for depressive symptoms: what is the role of physician personality?
- 1702. Patient-centered, Person-centered, and Person-directed Care: They are Not the Same
- 1703. Patients & #039; perceptions of communication with the health care team during chemotherapy for the first recurrence of ovarian cancer
- 1704. Patients & #039; perceptions of non-physician providers in primary care
- 1705. Patients & #039; perceptions of the treatment and management of hand osteoarthritis: a focus group enquiry
- 1706. Patterns of use of nonbiomedical medicine services by nonbiomedical medicine providers

- 1707. Percepção das práticas integrativas complementares pelos profissionais de saúde do município de Marau, RS
- 1708. Percepção de médicos e enfermeiros da estratégia de saúde da família sobre terapias complementares
- 1709. Perceptions and practices regarding herbal medicine prescriptions among physicians in Greater Beirut
- 1710. Perceptions of childhood immunisations in rural Transkei--a qualitative study
- 1711. Perceptions of effectiveness of nurse-managed clinics: A cross-cultural study
- 1712. Perceptions of natural health products among patients attending a memory clinic
- 1713. Perceptions of philosophic and practice differences between US osteopathic physicians and their allopathic counterparts
- 1714. Perfil de las competencias profesionales del diplomado en nutrición humana y dietética
- 1715.Personalized medicine and complementary and alternative medicine: in search of common grounds
- 1716. Person-centred care
- 1717. Person-centredness in gerontological nursing: an overview of the literature
- 1718. Perspectives in obstetric care for Zimbabwe
- 1719. Perspectives. Nursing tackles new roles in changing health system
- 1720. Physical access to primary health care in Andean Bolivia
- 1721. Physician activists and the development of rural health in postrevolutionary Mexico
- 1722. Physicians and complementary and alternative medicine cancer therapies in Greece: a survey
- 1723. Política de práticas integrativas e complementares: potência de ampliação do cuidado na Atenção Primária
- 1724. Por uma composição técnica do trabalho em saúde centrado no campo relacional e nas tecnologias leves. Apontando mudanças para os modelo tecno-assistenciais
- 1725. Postmenopausal hormone replacement: historical perspectives and current concerns
- 1726. Post-occupancy 2004. The Ruth M. Rothstein CORE Center, Chicago, Illinois
- 1727. Posttraumatic stress disorder: early detection is key
- 1728. Potenciais interações relacionadas ao uso de medicamentos, plantas medicinais e fitoterápicos em mulheres no período do climatério
- 1729. Potenciais interações relacionadas ao uso de medicamentos, plantas medicinais e fitoterápicos em mulheres no período do climatério
- 1730. Potenciais interações relacionadas ao uso de medicamentos, plantas medicinais e fitoterápicos em mulheres no período do climatério
- 1731. Practical strategies for treating postsurgical bowel dysfunction
- 1732. Practical treatment of wound pain and trauma: a patient-centered approach
- 1733. Practice of Biopsychosocial Medicine in Portugal: Perspectives of Professionals Involved
- 1734. Práticas integrativas e complementares de desafios para a educação
- 1735. Práticas integrativas e complementares em saúde, uma nova eficácia para o SUS
- 1736. Práticas integrativas e complementares na atenção primária em saúde: em busca da humanização do cuidado
- 1737. Práticas integrativas e complementares para a promoção da saúde
- 1738. Práticas interativas e complementares grupais nos serviços de saúde da atenção básica: possibilidades de diálogo com a educação popular
- 1739. Praxis and the role development of the acute care nurse practitioner

- 1740. Prayer in medicine: a survey of primary care physicians
- 1741. Preferences for managing symptoms of differing severity: a discrete choice experiment
- 1742. Pregnancy, childbirth, mother and child care among the indigenous people of Zimbabwe
- 1743. Preparing a new workforce
- 1744.Prevalence of complementary and alternative medicine and use among children in South Australia
- 1745. Primary care doctors & #039; management of low back pain patients -- ten years after
- 1746. Primary care physicians and complementary-alternative medicine
- 1747. Primary care physicians and complementary-alternative medicine: training, attitudes, and practice patterns
- 1748. Primary care physicians \$\'\$; attitudes and practices regarding complementary and alternative medicine
- 1749. Primary care services. In search of alternative ways of providing services that are affordable, accessible and appropriate. A review of recent literature
- 1750. Primary care: a mandatory requirement for effective health care
- 1751.Primary health care and donor dependency: a case study of nongovernment assistance in Burkina Faso
- 1752. Primary health care for developing countries
- 1753. Primary health care for whom? Village perspectives from Nepal
- 1754. Primary health care in South Africa: private practice nurse practitioners and traditional healers form partnerships
- 1755. Primary health care in the People's Republic of China
- 1756. Primary health care nurses \$\pi\$4039; promotion of involuntary migrant families \$\pi\$4039; health
- 1757. Primary health care: an international perspective
- 1758. Primary mental health care in rural Punjab, Pakistan: providers, and user perspectives of the effectiveness of treatments
- 1759. Prise en charge de l' épilepsie dans les pays en développement
- 1760. Process and cultural impediments to health care innovation
- 1761. Profile of curanderos: a study of Mexican folk practitioners
- 1762. Profile of suicide in rural Cameroon: are health systems doing enough?
- 1763. Profile: Ogobara Doumbo. Mali researcher shows how to reverse brain drain
- 1764. Profissionais da área de saúde pública: atitudes, conhecimentos e experiências em relação a práticas médicas não-convencionais
- 1765. Promoção, comunicação e educação em saúde: a prática da acupuntura e da fitoterapia
- 1766. Promoção, comunicação e educação em saúde: a prática da acupuntura e da fitoterapia
- 1767. Promoting CAM services
- 1768. Promoting lifestyle self-awareness among the medical team by the use of an integrated teaching approach: a primary care experience
- 1769. Providers & #039; and Administrators & #039; Perceptions of Complementary and Integrative Health Practices Across the Veterans Health Administration
- 1770. Providing Complementary and Alternative Medicine in primary care: the primary care workers \$\\$4039; perspective
- 1771. Providing therapies to the opposite sex: views of complementary therapists working in clinical and private practice settings
- 1772. Psoriatic arthritis: a holistic approach to management

- 1773. Psychiatry in the United States and the USSR: a comparison
- 1774. Psychiatry: healing qualities
- 1775. Psychological and physical etiologies of heart palpitations
- 1776. Pursuit of psychological well-being (ikigai) and the evolution of self-understanding in the context of caregiving in Japan
- 1777. Putting the individual first. Restoring dignity through restorative care
- 1778. Qualitative analysis of US Department of veterans affairs mental health clinician perspectives on patient-centered care
- 1779. Randomised controlled study in the primary healthcare sector to investigate the effectiveness and safety of auriculotherapy for the treatment of uncomplicated chronic rachialgia: a study protocol
- 1780. Rational and irrational clinical strategies for collaborative medicine
- 1781. Recommendations for assessing insomnia
- 1782. Reconceptualizing the core of nurse practitioner education and practice
- 1783. Reducción de los niveles de estrés y ansiedad en médicos de Atención Primaria mediante la aplicación de un programa de entrenamiento en conciencia plena (mindfulness)
- 1784. Reducción de los niveles de estrés y ansiedad en médicos de Atención Primaria mediante la aplicación de un programa de entrenamiento en conciencia plena (mindfulness)
- 1785. Referral to massage therapy in primary health care: a survey of medical general practitioners in rural and regional New South Wales, Australia
- 1786. Reflexivity--a strategy for a patient-centred approach in general practice
- 1787. Reflexologists ' responses to a patient with abdominal pain-a survey on Internet advice
- 1788. Rehabilitationsmöglichkeilen in einem Bezirksspital
- 1789. Relações produtoras do cuidado em práticas com plantas medicinais na estratégia de saúde da família em Juazeiro Bahia
- 1790. Relationship-centered care: achieving true value in healthcare
- 1791. Relationship-centred care is the next logical step
- 1792. Relato de experêência do curso de plantas medicinais para profissionais de saúde
- 1793. Remembering the holistic view
- 1794. Representação social do terapeuta comunitário na rede SUS/ Social representation of the community therapist in the Brazilian Unified Health System
- 1795. Respect for patients & #039; dignity in primary health care: a critical appraisal
- 1796. Respect in critical care: a foundational ethical principle
- 1797.Responding to GPs' information resource needs: implementation and evaluation of a complementary medicines information resource in Queensland general practice
- 1798. Response to complementary and alternative medicine among family medicine and other primary care physicians in South Carolina
- 1799. Review of the village health worker pilot scheme in Tonga
- 1800. Revisioning the nursing shortage: a call to caring for healing the healthcare system
- 1801. Role of complementary therapies in the understanding of primary healthcare professionals: a systematic review
- 1802. Role of complementary therapies in the understanding of primary healthcare professionals: a systematic review
- 1803. Role of non-physician providers in primary health
- 1804. Roles of the general practitioner in different contexts
- 1805. Rural doctors ' attitudes to and knowledge of medicinal cannabis

- 1806. Satisfaction with primary health care received by families of children with developmental disabilities
- 1807. Saúde mental
- 1808. Saúde mental
- 1809. Saúde mental
- 1810. Self-management training: potential for primary care
- 1811. Self-medication: an important aspect of primary health care
- 1812. Sex role effects on female response to illness
- 1813. Sex, pain and cranberries ideas from the 2006 Registrar Research Workshop
- 1814. Shared care
- 1815. Short- and long-term effectiveness of a supervised training program in spirometry use for primary care professionals
- 1816. Should we refuse requests for complementary therapies?
- 1817. Sistemas medicos que coexisten en la Novena region de Chile: una descripcion general
- 1818. Situação do ensino das práticas integrativas e complementares nos cursos de graduação em enfermagem, fisioterapia e medicina
- 1819. Small group interactive techniques utilizing videofeedback
- 1820. Smoking cessation the role of the dental team implications for the Caribbean [abstract]
- 1821. So what exactly is a nurse?
- 1822. Sociomedical achievements in the People's Republic of China
- 1823. Sorcery and penicillin: treating illness on a Papua New Guinea island
- 1824. Specific training program improves oncologists \$\&\pmu 039\$; palliative care communication skills in a randomized controlled trial
- 1825. Spiritual support for terminally ill patients: nursing staff assessments
- 1826. Spirituality and medical practice
- 1827. Spirituality: a dimension of holistic critical care nursing
- 1828. Stakeholders ' Perceptions About a Newly Established Dental School with a Problem-Based, Student-Led, Patient-Centered Curriculum: A Qualitative Study
- 1829. Statement on nursing: a personal perspective
- 1830. Stellenwert von Johanniskraut- extrakt in der hausärztlichen Depressionstherapie. Eine nicht interventionelle Studie
- 1831. STI management in Tanzanian private drugstores: practices and roles of drug sellers
- 1832. Stopping the tsunami of stress in primary care
- 1833. Stress urinary incontinence in women
- 1834. Student learning with concept mapping of care plans in community-based education
- 1835. Stuips, spuits and prophet ropes: the treatment of abantu childhood illnesses in urban South Africa
- 1836. Supporting people with AIDS and their carers in rural South Africa: possibilities and challenges
- 1837. Supportive care for the hopelessly ill
- 1838. Swedish Registered Nurses' incentives to use nursing diagnoses in clinical practice
- 1839. Tandem practice model: a model for physician-nurse practitioner collaboration in a specialty practice, neurosurgery
- 1840. Tasks and routines in 21st century nursing: student nurses' perceptions
- 1841. TBA training: findings change policy

- 1842.TCAB's Example
- 1843. Te Kapunga Putohe (the restless hands): a Maori centred nursing practice model.
- 1844. Teaching in Spanish medical schools
- 1845. Teaching Integrative Medicine to Residents: A Focus on Populations Rather Than Individual Patients
- 1846. Teaching sexual history taking to health care professionals in primary care
- 1847. Teamwork in Sri Lankan general practice
- 1848. Technical seduction
- 1849. Technologies for safe births
- 1850. Tensions in the brokerage role. Nurses in Botswana
- 1851. Terapêutica com plantas medicinais: percepção de profissionais da Estratégia de Saúde da Família de um município do agreste pernambucano
- 1852. The " Bundo" secret society in Sierra Leone
- 1853. The advanced nurse practitioner. Struggling toward a conceptual framework
- 1854. The art of a pediatric exam
- 1855. The attitude of community health nurses towards integration of traditional healers in primary health care in north-west province
- 1856. The award winning " Completing the circle " complementary therapy service initiative at Christie NHS Hospital Manchester
- 1857. The challenges of treating women with recurrent urinary tract infections in primary care: a qualitative study of GPs' experiences of conventional management and their attitudes towards possible herbal options
- 1858. The changing face of long-term care: looking at the past decade
- 1859. The changing role of nurses: the perspective of Medical Services Branch
- 1860. The clientele of traditional birth homes in rural southeastern Nigeria
- 1861. The clinic visit does not end when the patient walks out the door
- 1862. The Complementary Medicine Education and Outcomes (CAMEO) program: a foundation for patient and health professional education and decision support programs
- 1863. The contribution of traditional healers \$\pmu #039\$; clinics to public health care system in Addis Ababa, Ethiopia: a cross-sectional study
- 1864. The cultural context of CAM
- 1865. The development and optimisation of a primary care-based whole system complex intervention (CARE Plus) for patients with multimorbidity living in areas of high socioeconomic deprivation
- 1866. The diabetes experiences of Aboriginal people living in a rural Canadian community
- 1867. The dietitian-nutritionist and the problem-oriented medical record
- 1868. The dietitian-nutritionist and the problem-oriented medical record
- 1869. The effects of religious beliefs on the health care practices of the Amish
- 1870. The energetic language of therapeutic touch. A holistic tool for nurse practitioners
- 1871. The failure of comprehensive health services to serve the urban Chicano
- 1872. The healing energy of relationships
- 1873. The ICU patient room: views and meanings as experienced by the next of kin: a phenomenological hermeneutical study
- 1874. The impact of the medical speciality in primary health-care problem solving in Belo Horizonte, Brazil: homeopaths versus family doctors: a preliminary quantitative study

- 1875. The integration of bio-medicine and culturally based alternative medicine: implications for health care providers and patients
- 1876. The integration of complementary therapies in Australian general practice: results of a national survey
- 1877. The Interaction Model of Client Health Behavior: a model for advanced practice nurses
- 1878. The interface with naturopathy in rural primary health care: a survey of referral practices of general practitioners in rural and regional New South Wales, Australia
- 1879. The latest buzz on tinnitus
- 1880. The layperson 's perception of medicine as perspective into the utilization of multiple therapy systems in the Indian context
- 1881. The Medical Battery in The United States (1870-1920): Electrotherapy at Home and in the Clinic
- 1882. The Model of Whole-Person Caring: creating and sustaining a healing environment
- 1883. The moved to evidenced-based practice from a clinical nursing question
- 1884. The nature, prevalence, and level of awarenes of " curanderismo" and some of its implications for community mental health
- 1885. The new after-care clinic: treating individuals rather than masses
- 1886. The nurse as the primary health-care practitioner
- 1887. The patient relationship and therapeutic techniques of the South Sotho traditional healer
- 1888. The perioperative dialogue: holistic nursing in practice
- 1889. The power of imagination. Using guided imagery to reduce stress
- 1890. The professional role of massage therapists in patient care in Canadian urban hospitals--a mixed methods study
- 1891. The Queen & #039;s Medical Center Honolulu, Hawaii
- 1892. The research agenda for general practice/family medicine and primary health care in Europe. Part 3. Results: person centred care, comprehensive and holistic approach
- 1893. The role of dental therapists in pharmacological and non-pharmacological treatment of anxious and phobic patients
- 1894. The roles of federal legislation and evolving health care systems in promoting medical-dental collaboration
- 1895. The salutogenesis-oriented session: creating space and time for healing in primary care
- 1896. The significance of ritual in a church-based healing model
- 1897. The sustainability of ideals, values and the nursing mandate: evidence from a longitudinal qualitative study
- 1898. The use of craft activities as an occupational therapy treatment modality in Norway during 1952-1960
- 1899. The use of non-prescribed medication in the first 3 months of life in rural South Africa
- 1900. The use of pure and impure placebo interventions in primary care a qualitative approach
- 1901. The whole story
- 1902. The work of WHO, 1976-1977: biennial report of the Director-General to the World Health Assembly and to the United Nations
- 1903. Therapeutic environments for older adults: constituents and meanings
- 1904. Therapeutic massage: an education program for rural and remote workers in the palliative care field
- 1905. Therapeutic music and nursing in poststroke rehabilitation
- 1906. Therapeutic use of dolls for people living with dementia: A critical review of the literature
- 1907. There 's the rub

- 1908. Third report of Committee A (draft)
- 1909. Thirtieth session of the Regional Committee for South-East Asia: report by the Regional Director
- 1910. Time share
- 1911. To describe or prescribe: assumptions underlying a prescriptive nursing process approach to spiritual care
- 1912. Toward a patient-centered approach: incorporating principles of participatory action research into clinical studies
- 1913. Towards a model for integrative medicine in Swedish primary care
- 1914. Towards holistic social work practice in general medical settings
- 1915. Trabalho em equipe multiprofissional na Estratégia de Saúde da Família: a interface entre a equipe de Saúde Bucal e a equipe de Saúde da Família
- 1916. Traditional belief and practice among the Pokot people of Kenya with particular reference to mother and child health: 1. The Pokot people and their
- 1917. Traditional birth attendants
- 1918. Traditional childbirth practices: implications for a rural MCH program
- 1919. Traditional healers and community health
- 1920. Traditional healers and community health
- 1921. Traditional healers and the primary health care nurse
- 1922. Traditional healers as community health workers: a review of projects using traditional healers as community health workers
- 1923. Traditional healers & #039; roles on eye care services in Nepal
- 1924. Traditional medicine in Belize. The original primary health care
- 1925. Traditional medicine in Belize. The original primary health care
- 1926. Traditional midwifery: a case study
- 1927. Traditional midwives in Botswana
- 1928. Traditional practitioners as primary health care workers
- 1929. Traditional practitioners as primary health care workers: a study of effectiveness of four training projects in Ghana, Mexico and Bangladesh
- 1930. Training folk practitioners as PHWs in rural India
- 1931. Training on Exercise is Medicine® Within an Integrative Medicine Curriculum
- 1932. Training the secretary in community mental health: a second model for integrating secretaries into the therapeutic team in community mental health
- 1933. Translating change: the development of a person-centred triage training programme for emergency nurses
- 1934. Traveling with the occupational health nurses in China: a perspective today
- 1935. Treating vasomotor symptoms of menopause: the nurse practitioner \$\#039\$; perspective
- 1936. Treatment of Depression and Anxiety by Naturopathic Physicians: An Observational Study of Naturopathic Medicine Within an Integrated Multidisciplinary Community Health Center
- 1937. Treatment of mild to moderate dehydration in children with oral rehydration therapy
- 1938. Trentième session du Comité Régional de I' Asie du Sud-est: rapport du Directeur regional
- 1939. Troisième rapport de la Commission A (projet)
- 1940. Turkish general practitioners and complementary
- 1941. Twelve essential tools for living the life of whole person health care
- 1942. Type 2 diabetes, cardiovascular disease and the utilisation of primary care in urban and regional settings

- 1943. Uganda mental health country profile
- 1944. Unmasking quality: exploring meanings of health by doing art
- 1945.UNO STUDIO ETNOGRAFICO DELLE PRATICHE E DEI SAPERI MEDICI NEL CONTESTO NAHUA (NAUPAN, PUEBLA, MESSICO)
- 1946. Use of and interest in alternative therapies among adult primary care clinicians and adult members in a large health maintenance organization
- 1947. Use of complementary and alternative medicine by physicians in St
- 1948. Use of medicinal plants by health professionals in Mexico
- 1949. Use of mind-body therapies in psychiatry and family medicine faculty and residents: attitudes, barriers, and gender differences
- 1950. Use of self-chosen therapies by depressed people in primary care.
- 1951. Use of traditional Chinese medicine in Singapore children: perceptions of parents and paediatricians
- 1952. Using a patient-centered approach for health and social care integration
- 1953. Using drama to improve person-centred dementia care
- 1954. Using experiential techniques for staff development: liking, learning, and doing
- 1955. Using simulation to identify and resolve threats to patient safety
- 1956. Uso de plantas medicinales en la atención primaria de la salud familiar Aimara, comunidad de Checca, Puno
- 1957. Uso de plantas medicinales en la atención primaria de la salud familiar Aimara, comunidad de Checca, Puno
- 1958. Uso de plantas medicinales: manual para el personal de salud del primer nivel de atención
- 1959. Usuárias do centro de práticas integrativas e complementares: despertando para o cuidar de si/ Users of integrative and complementary practice center: awakening to his own care
- 1960. Utilisation patterns of primary health care services in Hong Kong: does having a family doctor make any difference?
- 1961. Valoracion terapeutica y economica de la acupuntura en un consultorio medico de la família
- 1962. Valoración terapéutica y económica de la acupuntura en un consultorio médico de la família
- 1963. Video-hypnosis--the provision of specialized therapy via videoconferencing
- 1964. Voprosy okhrany zdorov'ia zhenshchin i detei v razvivaiushchikhsia stranakh
- 1965. Vulnerability, human rights, and comprehensive health care needs of young people living with HIV/AIDS
- 1966. Warfarin and herbal supplements. A volatile combination
- 1967. Water birth: one birthing center \$\\$#039;s observations
- 1968. What caused India's massive community health workers scheme: a sociology of knowledge
- 1969. What constitutes a dignified death? The voice of oncology advanced practice nurses
- 1970. What do sequential behavioral patterns suggest about the medical decision-making process?: modeling home case management of acute illnesses in a rural Cameroonian village
- 1971. What factors are influencing preferences toward conventional versus complementary and alternative medical clinic advertisements?
- 1972. What \$\#039;s funny about phobias?
- 1973. Who is afraid of Staphylococcus?
- 1974. Wholistic health care: challenge to health providers
- 1975. Why not person-centered care? The challenges of implementation

- 1976. With sadness on the passing of Louis Gifford a patient centred practitioner
- 1977. Women's and health-care providers' views of maternal practices and services in rural Nigeria
- 1978. Women's health care in a spa setting. An inviting intersection of disciplines
- 1979. Zur Nachbehandlung von Osteosynthesen
- 1980. Работа ВОЗ в 1976-1977 годах: двухгодичный отчет Генерального директора Всемирной ассамблее здравоохранения и Организации Объединенных
- 1981. Тридцатая сессия Регионального комитета для стран Юго-Восточной Азии: доклад Регионального директора
- أعمال منظمة الصحة العالمية 1976-1977 : تقرير المدير العام لفترة عامين الى جمعية الصحة العالمية والأمم المتحدة .1982
- (مشروع) ;quot أ ,quot التقرير الثالث للجنة.1983
- 1984.甲委员会的第三份报告(草案)

Nota: as dupliplcadas não foram eliminadas, visto que esta ação é prevista de execução na etapa 4 do módulo 1, referente à seleção das referências componentes do banco de dados final da RL.